

COLLECTION WITH PRICES









# ONEART

# TOTALLY PRINTED FIA TOP LEVEL SUIT

Regular fit with ultraflat antirubbing seams, soft knitted fabric inside.

Unlimited customization way thanks to the totally printed design.



MANUFACTURER: OMP MODEL: R-IA8-001 HOM. NO: RS.297.16 FIA STANDARD: FIA 8856-2000



### INNER POCKET

One comfortable hidden inner pocket

IA01857187XX Anthracite/red/fluo yellow

### IA01857

SUIT

SIZES: 46-64 sizing information on page 290

FRESH AIR IN HOT AIR OUT

### FLOATING SLEEVES

€ 990,00 (C)

Semi floating arm bellows.

KNITTED MATERIAL

### STRETCH DRY SYSTEM

High breathability parts in Dry System 3D material on back, hips and under the sleeves.



FOCUS

More comfort, less heat: a goal that OMP pursues since always, and now concretizes with STRETCH DRY SY-STEM. The maximum breathability of OMP Dry System is combined with the elasticity of 3D materials, to allow the best freedom in movements while reducing body temperature. Two fundamen-

The cooling effect of the inserts is improved when worn with the OMP ONE breathable underwear that now offers a cooling spray solution.

OMP's Dry System is a registered utility model.



RACING

# OMP

# OMP PRINT ART SYSTEM





3/6



LEFT LEG

RIGHT LEG









# BREATHABLE

### DRY SYSTEM

FRESH AIR IN HOT AIR OUT

To help drivers reduce body temperature and improve their performance, OMP has designed a range of underwear and breathable clothing. Very often drivers incur situations in which the regulation of body temperature is compromised and the risk of hyperthermia is very high. The increase in body temperature increases the feeling of fatigue, dramatically reduces performance and poten-tially can lead to circumstances which increase the risk of accidents. Body areas subject to a greater perspiration are: underarm, brachial, back, lumbar, front tibial and popliteal

The OMP ONE line suits (ONE ART, ONE S-1, ONE-S, ONE SL, ONE EVO) and TECNICA EVO, have breathable inserts in strategic areas where the perspiration is more intense. The inserts ability to cool is enhanced when worn with the OMP ONE breathable underwear.

The cooling effect of the inserts is improved when worn with the OMP ONE breathable underwear that now offers a cooling spray solution. OMP's Dry System is a registered utility model.



# STRETCH DRY SYSTEM

More comfort, less heat: a goal that OMP pursues since always, and now concretizes with STRETCH DRY SYSTEM.

The maximum breathability of OMP Dry System is combined with the elasticity of 3D materials, to allow the best freedom in movements while reducing body temperature.

Two fundamental elements to help drivers improve their performance.


# DRY SYSTEM ® UTILITY MODEL


Breathable material inserts are strategically located on back and lumbar area for maximum cooling in hot conditions (for maximum cooling effect, One suits should be used along with One Underwear).

The OMP ONE line breathable suits and underwear facilitate the body thermoregulation, thanks to the innovative weave of the inserts, strategically positioned, that allow for high breathability whilst still maintaining their own fire-retardant properties (according to the FIA standard 8856-2000).

# ON2-5

### INSPIRED BY OMP TOP DRIVERS



















RACING 12 RACING

# Ne-51

### IA01852

SUIT

### SUPER TOP LEVEL SUIT Fireproof super top level overall. Made of shiny Nomex@ fabrics. Based on more than 40 years experience with all the innovations introduced by the best

drivers of history for maximum comfort everytime.



IA01852184XX Anthracite/black/fluo yellow

SIZES: 46-64 sizing information on page 290



### FLOATING SLEEVES

€ 1.290,00 (C)

Semi floating arm bellows.

KNITTED MATERIAL

### STRETCH DRY SYSTEM

High breathability parts in Dry System 3D material on back, hips, calf and under the sleeves.



### **INNER POCKETS**

Two comfortable hidden inner pockets.



MANUFACTURER: OMP MODEL: ONE S HOM. NO: RS.224.12 FIA STANDARD: FIA 8856-2000



# STRETCH DRY SYSTEM

More comfort, less heat: a goal that OMP pursues since always, and now concretizes with STRETCH DRY SYSTEM. The maximum breathability of OMP Dry System is combined with the elasticity of 3D materials, to allow the best freedom in movements while reducing body temperature. Two fundamental elements to help drivers improve their performance.

The cooling effect of the inserts is improved when worn with the OMP ONE breathable underwear that now offers a cooling spray solution.
OMP's Dry System is a registered utility model.

FRESH AIR IN HOT AIR OUT



# ONE-5

### IA01853

SUIT

SIZES: 46-64 sizing information on page 290





### **FLOATING SLEEVES**

€ 990,00 (C)

Semi floating arm bellows.

### DRY SYSTEM

High breathability parts in Dry System 3D material.

### **INNER POCKET**

One comfortable hidden inner pocket.

### KNITTED MATERIAL

# **APPROVED**

MANUFACTURER: OMP MODEL: ONE S HOM. NO: RS.224.12 FIA STANDARD: FIA 8856-2000



FOCUS

DRY SYSTEM

racing suits and underwear to facilitate the body thermoregulation, thanks to the innovative weave

of the inserts, strategically positioned, that allow for high breathability while still maintaining their own fire-retardant properties (according to the FIA standard 8856-2000).

The cooling effect of the inserts is improved when worn with the OMP ONE breathable underwear that now offers a cooling spray solution. OMP's Dry System is a registered utility model.

FRESH AIR IN HOT AIR OUT

To help drivers reduce body temperature and improve their performance, OMP has designed a range of underwear and breathable clothing.

The OMP ONE S line and TECNICA EVO breathable



**TOP LEVEL SUIT** 

Fireproof top level overall.

Developed for the highest

fabrics. Regular fit with antirubbing seams.

MANUFACTURED ENTIRELY IN ITALY

lightness without sacrifying the comfort. Made of shiny Nomex@

IA01853061XX Red/black

OMP

# ONE-5L

OMP

# SUIT

IA01855 CUSTOM MADE





Super light fireproof overall. Made of shiny Nomex@ fabrics. Developed for the highest lightness ever!
Slim fit with ultralight antirubbing seams.



### FLOATING SLEEVES

Semi floating arm bellows.

### **INNER POCKETS**

One or two comfortable hidden inner pockets.



### DETAILS

WEIGHT: 700 gr (For OMP 50 Size Man h 175 weight 75)



MANUFACTURER: OMP MODEL: ONE S HOM. NO: RS.224.12 FIA STANDARD: FIA 8856-2000



KNITTED MATERIAL





STRETCH DRY SYSTEM




### IA01851

SUIT

SIZES: 46-64 sizing information

### € 1.090,00 (C)

on page 290



**ULTRALIGHT PROFESSIONAL SUIT** 

MANUFACTURED ENTIRELY IN ITALY







**INSIDE POCKETS** 






PRE-CURVED SLEEVES

for maximum comfort







3D breathable material



anti rubbing seams



MANUFACTURER: OMP MODEL: ONE EVO HOM. NO: RS.224.12 FIA STANDARD: FIA 8856-2000



# DRY SYSTEM

FOCUS

To help drivers reduce body temperature and improve their performance, OMP has designed a range of underwear and breathable clothing.

The OMP ONE S line and TECNICA EVO breathable racing suits and underwear to facilitate the body thermoregulation, thanks to the innovative weave of the inserts extrategically positioned, that allow for high inserts, strategically positioned, that allow for high breathability while still maintaining their own fire-re-tardant properties (according to the FIA standard 8856-2000).

The cooling effect of the inserts is improved when worn with the OMP ONE breathable underwear that now offers a cooling spray solution.

OMP's Dry System is a registered utility model.





# TECNICA-5

### IA01850

SIZES: 44-64 sizing information on page 290

SUIT

SFI 3.2A/5 on request



PROFESSIONAL SUIT

Made of shiny Nomex® fabrics.

Modern and aggressive design.

**FLOATING ARMS** with elastic bellows

with inner soft knitted material

SHAPED COLLAR

€ 579,00 (C)

IA01850063XX Red/white/black



**INSIDE POCKETS** 



MANUFACTURER: OMP MODEL: TECNICA- S HOM. NO: RS.132.07 FIA STANDARD: FIA 8856-2000



FOCUS-

KNITTED ELASTIC INSER on the back for maximum

OMP





# FIRST-5

OMP

### IA01828B

€ 309,00 (C) SIZES: 44-64 sizing information on page 290

SFI 3.2A/5 on request

PROFESSIONAL RESISTANT AND COMFORTABLE SUIT Entry level FIA homologated ra

Entry level FIA homologated racing suit made with new lightweight fabrics and with an excellent price/quality/resistance/comfort ratio. Inner layer in soft knitted fire retardant fabric, modern design with "fishbone" quilting.



FLOATING SLEEVES

Floating arm bellows.

ULTRAFLAT

antirubbing seams

IA01828B083XX Silver/black



MANUFACTURER: OMP MODEL: FIRST S HOM. NO: RS.243.13 FIA STANDARD: FIA 8856-2000







KNITTED ELASTIC INSERT on the back for maximum

# OMP SPORT

# SUIT

€ 149,00 (C)

### **ENTRY LEVEL RACING SUIT**

OMP entry level suit with an excellent quality/ price ratio. Outer pockets.



MANUFACTURER: OMP MODEL: OS 20 HOM. NO: RS.247.13 FIA STANDARD: FIA 8856-2000

### **FLOATING ARMS**

with elastic bellows

IA01847F041XX Blue





### IA01847F

€ 269,00 (C)

HIPS AND **LUMBAR INSERTS** made of soft knitted elastic fabric

SIZES: S/XXL sizing information on page 290

SFI 3.2A/5 on request

Corresponding suit sizes:

EU 46/48 S M

USA 50/52 54/56 XL 58/60 XXL 62/64



One layer OMP Sport racing suit in fire retardant cotton fabric.



IA01904

HOMOLOGATION SFI 3.2A/S1

SIZES: S/XXL sizing information on page 290

SFI 3.2A/5 on request

Corresponding suit sizes:

USA	EU	
S	46/48	
M	50/52	
L	54/56	
XL	58/60	
XXL	62/64	



Lumbar elastic stretch.

IA01904071XX Black





# ONE VINTAGE SUIT

# LEMANS

哪

# SUIT

### RETRO RACING SUIT STYLE

Typical style worn by the great champions of F1 in the mid 70s. Produced with the same ultralight fabrics of the new ONE EVO and ONE-S suits.



MANUFACTURER: OMP MODEL: ONE BASIS HOM. NO: RS.224.12 FIA STANDARD: FIA 8856-2000

### **FLOATING ARMS**

with elastic bellows.





**OUTER POCKET** 

### IA01842

SIZES: 46-64 sizing information on page 290

SFI 3.2A/5 on request

### SHAPED COLLAR

€ 930,00 (C)

**ELASTIC** 

with inner soft knitted material and pre-curved sleeves for maximum comfort.

### **SLIM FIT**

and ultra-flat, anti-rubbing seams.

CARE AND REFINEMENT Typical of the 1960s

External layer made of satin Nomex®. Lining in a comfortable knit fabric.



MANUFACTURER: OMP MODEL: LE MANS HOM. NO: RS.163.08 FIA STANDARD: FIA 8856-2000



### DETAILS OF THE BIAS CUT CLOSURE

and belt loops typical of the suits worn by the big names of F1 at the time.

OUTER POCKET

DOUBLE STITCHING



€ 640,00 (C)

SIZES: 46-64 sizing information on page 290

SFI 3.2A/5 on request

MANUFACTURED UPON REQUEST

### STITCHING AND DETAILS

in brown on cream satin fabric for real vintage style revival.

IA01823F022XX Cream





ELASTIC



# H(S=1R

# SUIT



### KK01720

HOMOLOGATION CIK - FIA level 2 SIZES: 44-62 for children: 120/130/140/150/160 height

sizing information on page 290

MESH INSERTS

**SEMI FLOATING SLEEVES** 

**ELASTIC CROTCH INSERTS** 







KK01720370XX Black/grey/fluo yellow

PADDED INSERTS







# K5-2R

# SUIT

### KK01725

FLOATING SLEEVES
Floating arm bellows.

€ 299,00 (C)

HOMOLOGATION CIK - FIA level 2 SIZES: 44-62 for children: 120/130/140/150/160 height

sizing information on page 290

MESH INSERTS









TOP LEVEL KARTING SUIT

Without seams on waist to increase driver's comfort.
Elastics insert on groin, underfoot retainer, comfortable padding on knees, high breathability inserts under the sleeves, mesh inserts on shoulder and pockets to improve ventilation, low cut neck and velcro wrist closure.

KK01725247XX Blue/yellow

TOTALLY PRINTED

# SUIT

KK01723

KK01723C FOR CHILDREN



Karting suit with exterior in cordura, interior in soft cotton sponge. Revised fit for improved comfort and ergonomic driving position. Outer pockets.











€ 169,00 (C)

€ 159,00 (C)

€ 179,00 (C)

€ 169,00 (C)

KK01723L

KK01723LC FLUO FOR CHILDREN

**HOMOLOGATION** 

**LOW CUT COLLAR** 

CIK - FIA level 2 3 LAYERS SIZES: 42-62 for children: 120/130/140/150/160 height

sizing information on page 290

KK01723L274XX Black/fluo green

**FULL FLOATING ARMS** 



### MESH INSERTS

on thighs area to improve ventilation



### HARDY KARTING SUIT

Outer layer in polyester, interior in soft cotton sponge. Outer pockets.



€ 119,00 (C)

### KK01724041XX Blue







### KK01724

**HOMOLOGATION** CIK - FIA level 1 **4 LAYERS** SIZES: S-XXL for children: 120/130/140/150 height

sizing information on page 290

### **ARM BELLOW**

in elastic knitted fabric for maximum freedom of movement











OMP

# SUMMERK

# RAINK

SUIT

# SUIT

KARTING






# BLAST

# SUMMER





### **LOOP HOLDER**

### NB/1892

Back loop holder for radio and tools, belt hight (three loops).

### NB/1891

Front loop holder for radio and tools (two loops).



### **RADIO CABLET SLOT**

NB/1893R

NB/1893L

With flap coverage. Right or left.



### **INSIDE POCKET**

NB/1887R

NB/1887L

Right or left.



### **ENDURANCE INSOLE for IC/791E**

IC/100

Gel anatomic insole (spare parts) for ENDURANCE shoes. Guarantees higher comfort and stability, maximum cushioning against impact forces. Sizes: 37-46

€ 24,00 (C)

### **NUT HOLDER ON BELT**

NB/1890R

NB/1890L

Right or left.



### **NUT HOLDER ON CHEST**

NB/1889R

NB/1889L

Right or left.



### **BAND HOLDER**

NB/1888R

NB/1888L

Right or left.



### **MISTRAL GLOVE**

IB/750

€ 79,00 (C)

Fireproof fabric with stretch suede inserts. Reinforced padded

knuckles to improve strength.

- Colours:
- black, red, blue. • Sizes: S-XL
- Homologation: FIA 8856-2000



### RACING SUITS TABLE












ONE ART SU	TIL							
FIA								
8856/2000	3	295	46					
SFI on request*			64	A S	Tul.			
or ron request				14 01 05 71 07 70	14 01 05 700 4VV	A <mark>.</mark>		
				IA01857187XX	IA01857024XX			
ONE-SI SUI	Г							
FIA			46	AGE TO SERVICE OF THE PARTY OF				
8856/2000	3	235	64					
3030/2000			04					
				IA01852184XX	IA01852244XX	IA01852076XX	IA01852073XX	IA01852083XX
ONE E EL 117								
ONE-S SUIT					-8			
FIA			46					1
8856/2000	3	235	64				. 0163343	<u>;</u>
					E (5 2-3) (7			
				IA01853061XX	IA01853071XX	IA01853083XX	IA01853244XX	<del>,</del>
ONE-SL SUI	т —							
	100							2.
FIA	3	235	custom					
8856/2000	3	233	made	A VE				
				IA01855				
ONE EVO S	UIT							
FIA	3	235	46			W. Company	0	GR.
8856/2000			64		<b>T</b>	Service Control		100
				IA01851244XX	IA01951179VV	1A01951270VV	1A01951076VV	IA01851089XX
				IAU1651244XX	IA01851178XX	IA01851270XX	IA01851076XX	IAU1651U69XX
TECNICA EV	O SUIT							
FIA			44	OW.				
8856/2000	3	295	64	and the same of th		A A		
SFI on request*			04					7 1 2 3 4 5
				IA01844076XX	IA01844043XX	IA01844243XX	IA01844063XX	IA01844089XX
TECNICA-S	SUIT							
FIA 8856/2000			44	OMP.				ŧ.
	2	400	64		100 110			
SFI on request*							A III	Difference of
				IA01850076XX	IA01850043XX	IA01850063XX	IA01850089XX	All The
FIRST EVO	SUIT							
FIRST EVOS FIA								
8856/2000	2	400	44					Y ARTA
	2	400	64	314531 NG		TOWN		
SFI on request*				<b>发展的</b>		V. Silver	MA	
				IA01854184XX	IA01854046XX	IA01854063XX	IA01854076XX	IA01854089XX
FIRST-S SUI	Т							
FIA	- N							
8856/2000	2	400	46	<b>V</b>			<b>9</b>	
		400	64		11/11/2 1		BUTTER NO	(all)
SFI on request*					- 1 E	ALE DES		
				IA01828B184XX	IA01828B071XX	IA01828B244XX	IA01828B061XX	IA01828B083XX
OMP SPORT	SUIT							
FIA								
8856/2000	2	400	S			The state of the s		DIFACE
SFI on request*			XXL				ر ا	PLEASE
Sir roquoot				1401947507120	14019475941394	14019475941294		NOTE
				IA01847F071XX	IA01847F041XX	IA01847F061XX		
OS 10 SUIT								VV.:
							The	XX in each part ber indicates the
SFI 3.2	1	200	S					tion of the size.
			XXL	100			1300	



HOMOLOGATION LAYERS gr/m<sup>2</sup> SIZES

ONE VINTAGE



PLEASE

NOTE

PLEASE

NOTE

The XX in each part

PLEASE

NOTE

The XX in each part number indicates the

location of the size.

number indicates the location of the size.

IA01904071XX

NB1579061XX

NB1578071XX

# "SU MISURA"




### CUSTOMIZE YOUR OWN SUIT



CHOOSE THE MODEL YOU WANT TO CUSTOMIZE FROM THE FOLLOWING:
ONE ART (IA01857) - ONE-S1 (IA01852) - ONE-S SUIT (IA01853) - ONE EVO SUIT (IA01851) - TECNICA
EVO SUIT (IA01844) - TECNICA-S SUIT (IA01850) - FIRST EVO (IA01854) - FIRST-S SUIT (IA01828B) ONE VINTAGE (IA01842) - LE MANS (IA01823F) - CLASSIC (IA01816F)




DOWNLOAD THE CUSTOMIZATION TUTOR AND THE BLANK MODEL FROM WWW.OMPRACING.COM





AREA BY AREA, CHOOSE AND APPLY THE COLORS FROM THE PALETTES






### APPLY YOUR LOGOS AND GRAPHICS





### DOWNLOAD THE ORDER FORM AND FILL IT IN EVERY PART





# ONE TOP

### IAA/739E SFI 3.3 on request € 115,00 (C) **ULTRA-LIGHT UNDERWEAR TOP WITH** FOR MAXIMUM FRESHNESS **EXCLUSIVE FEATURES USE INVIGORATING COOLING SPRAY** Advanced technology knitted fabric with corresponding sizes XS/S (ref. PC02003) maximum breathability suit sizes 44-48 3D knitted inserts for maximum cooling in hot conditions that aligns with the breathable inserts of ONE ART ONE-S1, ONE-S, ONE-SL, corresponding sizes M/L suit sizes 50-54 ONE EVO, and TECNICA EVO suits. XLAR corresponding sizes XL/XXL suit sizes 56-60 APPROVED on request: 2XLAR corresponding sizes XXXL MANUFACTURER: OMP suit sizes 62-64 MODEL: ONE TOP **FIA STANDARD: FIA 8856-2000 CREW-NECK TOP** with ultra-flat seams IAA/739E020XX White SLIM FIT/ATHLETIC CUT for increased driver comfort; extremely light, increased elasticity **ULTRA-FLAT** anti rubbing seams 300 M DRY SYSTEM 3D breathable IAA/739E/CN/XX Black material € 119,00 (C) DRY SYSTEM FRESH AIR IN HOT AIR OUT

# ONE LONG JOHNS

### **ULTRA-LIGHT PANTS WITH EXCLUSIVE FEATURES**

Advanced technology knitted fabric with maximum breathability. 3D knitted inserts for maximum cooling in hot conditions.

### FOR MAXIMUM FRESHNESS **USE INVIGORATING COOLING SPRAY**

(ref. PC02003)



MODEL: ONE LONG JOHNS FIA STANDARD: FIA 8856-2000



IAA/740EP020XX White





### INVIGORATING COOLING **EFFECT SPRAY**

FRESH AIR IN HOT AIR OUT

PC02003

€ 17,50 (C)

### **BIO COSMETIC ITEM ACTIVE** THERMOREGULATOR

Reduces the high temperatures inside the cockpits, controls perspiration and keeps a steady body temperature, offering an invigorating and cooling sensation.

OMP gives always particular attention to the wellness and comfort of the drivers all over the world.



# TECNICA





FIA STANDARD: FIA 8856-2000

IAA/756020XX White

Professional long sleeved underwear top with high neck for maximum protection made with a new comfortable fire retardant seamless fabric. The high breathability fabric inserts on main perspiration areas ensures the best comfort and a perfect fitting.

### **TECNICA LONG JOHNS**

### **IAA/757**



IAA/757071XX Black

IAA/757020XX White

EUROPE



MANUFACTURER: OMP MODEL: R-IAA-002 **FIA STANDARD: FIA 8856-2000** 

### **TECNICA BALACLAVA**

Professional balaclava made with a new comfortable fire retardant seamless fabric that ensures the best comfort and a perfect fitting.



IAA/758071XX Black

IAA/758020XX White

IAA/758

€ 36,50 (C)

SIZES: S/M - L/XL



MANUFACTURER: OMP MODEL: R-IAA-003 FIA STANDARD: FIA 8856-2000

# FIRST

### **FIRST TOP**

### IAA/730

SIZES: XS - XXL SFI 3.3

€ 66,00 (C)

Viscose/aramid long sleeved top with external seams. Colour: cream.

MANUFACTURED



MANUFACTURER: OMP MODEL: FIRST TOP FIA STANDARD: FIA 8856-2000



Viscose/aramid balaclava with external seams. Colour: cream.

€ 27,00 (C)

### FIRST LONG JOHNS

61

IAA/731P

SIZES: XS - XXL SFI 3.3

€ 58,00 (C)

Viscose/aramid long johns with external seams. Colour: cream.





MANUFACTURER: OMP **MODEL: FIRST LONG JOHNS FIA STANDARD: FIA 8856-2000** 

### IAA/729

SIZES: S - M



MANUFACTURER: OMP MODEL: FIRST BALACLAVA FIA STANDARD: FIA 8856-2000

# SOCKS

### IAA/722 - IAA/724 - IAA/723

Aramid knitted socks. FIA HOMOLOGATED SFI 3.3



IAA/722 Cream € 16,00 (C)

IAA/724 Black € 21,00 (C)

IAA/723 Cream € 21,00 (C)

SIZES: XS - L

### ONE SOCKS

These socks make use of the same material SIZES: S - M - L

of the One Underwear, coupled with advanced knitting techniques to provide differentiated pressure areas, with beneficial effect for

blood circulation. reducing the feeling of fatigue in the legs while driving.

**HOMOLOGATED** 

IAA/749/CN/X Black

€ 28,00 (C)



IAA/749

€ 26,00 (C)

Off

OMP |

# OMP COOL SHIRT

### **OMP COOLSHIRT**

Underwear long sleeved top with integrated water based cooling system.

FOR MAXIMUM FRESHNESS **USE INVIGORATING COOLING SPRAY** 



MANUFACTURER: OMP MODEL: COOL SHIRT FIA STANDARD: FIA 8856-2000



IAA/752028XX White



IAA/752071XX Black

RACING



€ 759,00 (C)

SFI 3.3 on request

corresponding sizes XS/S suit sizes 44-48

corresponding sizes M/L suit sizes 50-54

### XLAR

corresponding sizes XL/XXL suit sizes 56-60

### DUAL FLOW CONTROLLER

### ID/798

(water and air)- Controls the amount of refrigerating effect and gives the driver control of his/her comfort while in the race car by controlling the flow of cooling water through the shirt and the flow of fresh air in



the helmet. Avaible as replacement for Air & Water System dual controller.

€ 266,00 (D)

### UNIVERSAL CONNECTOR AND DRAIN KIT

### ID/799

Universal connectors for supply hose ID/797. Avaible as replacement of original parts.



€ 80,00 (D)

### SAFETY PULL RELEASE CONNECTOR

### ID/800

Safety pull release connectors that allow to connect the shirt to the supply hose ID/797. Avaible as replacement of original parts.



€ 55,00 (D)

### BRACKET

### ID/801

Spare mounting tray for Club System (ID/794). Comes with tie down strap.



€ 95,00 (D)

### **MAINTENANCE ADDITIVE**

### PC02004

€ 16,50 (D)

This non-toxic bio-degradable solution contains a fungicide yet is safe to use in all Coolshirt water based cooling systems. Regular use of this additive will not only help clean the system but it will also improve the performance and life of the system pump.



### **BAG SYSTEN**

### ID/793

### WATER COOLING SYSTEM PORTABLE FLEXIBLE BAG

Lightweight and waterproof canvas denier bag with an internal 12 V pump For use in all types of racing. Cooling time: 1/2h - 1h More accessories available. Supply hose ID/797 sold separately.



€ 240,00 (D)

### **CLUB SYSTEM**

### ID/794

### WATER COOLING SYSTEM CLUB SYSTEM RIGID BOX

23 It capacity cooling unit with an internal pump which supplies water to the cooling undewear through 3 mt of double



insulated hose with automatic shutoff/quick disconnects. Perfect from road courses to oval track racing. Cooling time: 6h More accessories available. Bracket ID/801 included. Supply hose ID/797 sold separately.

€ 260,00 (D)

### **COOL SHIRT SYSTEM**

### & WATER SYSTEM

Used in all levels of racing, it provides temperature controlled cooled water to the driver's Cooling Shirt and cooled filtered hair to the helmet. 2,5 mt of double water hose with automatic shutoff/quick disconnects



attach the shirt to the unit. The kit includes the box with internal pump and blower, supply water hose (2,5mt), dual flow controller (ID/798), mounting tray (ID/801), air hoses, connectors and filters. Cooling time: 4h More accessories available.

€ 990,00 (D)

### FLOW CONTROLLER

### ID/796

Controls the amount of refrigerating effect and gives the driver control of his/her comfort while in the race car by controlling the flow of cooling water through his/her shirt.



€ 199,00 (D)

### **SUPPLY HOSE**

### ID/797

CoolShirt 10ft (3 mt) supply hose enables the Cool Shirt Bag or Club System Box to be stored further away from the driver if required. Inherently flexible, the Hose Supply is an ideal

accessory to ensure future flexibility for the Cooling system. Also availabe as replacement for CoolShirt water cooling system damaged hoses.

€ 139,00 (D)

RACING

### INTEGRATED QUICK CONNECTIONS

(see page 57).

ID/793 system for short races; to be used with ID/794 system for longer races or go directly for top performances with the COOLSHIRT PRO AIR AND WATER

OMP web site www.ompracing.com

to be used with

SYSTEM ID/795, with additional ventilation for your helmet or seat

(m)

To be used only with quick connection in red colour. For more details visit

# KSWINTER

# KSSPRING

### KS WINTER-R SHIRT

€ 62,00 (C)

KK03021E

MY 2017



Long sleeved underwear shirt for winter use made of new stretch fabric. Realized with "3D" seamless technology for the best freedom of movement and comfort. SIZES:

S/M (corresponding suit sizes 44-48)

L/XL (corresponding suit sizes 50-54)

XXL/XXXL (corresponding suit sizes 56-60)

### KS WINTER-R **PANTS**

€ 52,00 (C)

KK03022E

MY 2017



### KS WINTER-R BALACLAVA

Kart balaclava for winter use made of new stretch fabric. Made with "3D" seamless technology for the best comfort.

Size: one size fits all.





# KS SUMMER

**SHIRT** 

KK03016

### SHORT SLEEVED T-SHIRT

Stretch fabric, hydrophobic highly hygienic hollow fiber. for high breathability.

Ultra-low density jacquard weaving Ideal in hot conditions.

OMP

KSTYLE

SIZES: **SMA** 

(corresponding sizes XS/S -

suit sizes 44-48) MED

(corresponding sizes M/L suit sizes 50-54)

**XLAR** 

(corresponding sizes XL/XXL suit sizes 56-60)

KK03016020XX White

€ 39,00 (C)

**ULTRA-FLAT** 


anti rubbing seams

LOW DENSITY JACQUARD

KARTING

60





### **SUMMER BALACLAVA**

KK03018

€ 26,00 (C)

Hydrofobic higly hygienic hollow fiber. Low density jacquard weaving for high breathability for use in hot conditions.

KK03018020 White

ONE SIZE

# OMP

OMP

### **BALACLAVA**

KK03005

€ 5,90 (C)

Knit cotton, open face balaclava.

KK03005020 White

ONE SIZE

KK03005061



KK03005041






### **KS SUMMER SHORTS**

KK03017

€ 22,00 (C)

Stretch fabric, hydrofobic higly hygienic hollow fiber. Low density jacquard weaving for high breathability for use in hot conditions.



SMA (corresponding sizes XS/S - suit sizes 44-48) MED (corresponding sizes M/L - suit sizes 50-54)



XLAR (corresponding sizes XL/XXL - suit sizes 56-60)

### **BALACLAVAS**

KK03004

€ 14,90 (C)

Open face disposable balaclavas. Anallergenic. Packages: 25 pieces.

ONE SIZE



## KS SOCKS

KK03019

€ 13,90 (C)

Technical socks with differentiated weave. Mid lenght.



SIZE S-M-L









# ONEEV

# **GLOVES**

### € 139,00 (C)

SIZES: XS - XL sizing information on page 290

PRECURVED MIXED INTERNAL/ **EXTERNAL SEAMS** 

### **INTERNAL SEAMS**

in forefinger and thumb for highest precision on the controls



HAND AND FINGERS SILICONE WEBBING

### **EXTERNAL SEAMS**

**SUPER PROFESSIONAL GLOVES** 

Professional fireproof HI - TECH gloves based

on F1 tecnology. Precurved for best fitting.

the wrists. Inside seams on thumbs and

forefingers for highest precision on the controls, external seams on palm, middlefinger, ringfinger and

pinkie for maximum comfort.

Diagonal cut on the wrists + elastic bend on

on pinkie, middle and ring finger for

IB/759/GF/XX Fluo yellow/black



### **ULTRA-GRIP**

is used on the fingertips and forefingers for maximum grip on the steering wheels



correct grip on the shift paddle, buttons or steering wheels

### LEATHER PALM

internal points in antislip silicone webbing



**SLANTED CUT** 





3D PALM

leather

reinforcements

### **LEATHER INSERTS**

ensuring the correct grip on the shift

wrist closure for secure fit



TALL AUSTHIP

HI-TECH GLOVES



MODEL: ONE-EVO FIA STANDARD: FIA 8856-2000

# **ONE-5**

**EXTERNAL SEAMS** 

for maximum

comfort

# **GLOVES**

# ECTICA EVO GLOVES

### SUPER PROFESSIONAL **GLOVES**

Fireproof precurved top level gloves. Diagonal cut on the wrists + elastic band on the wrists. Competely external seams for maximum comfort, fire retardant silicone rubber palm. Modern design.



MANUFACTURER: OMP MODEL: ONE-S FIA STANDARD: FIA 8856-2000

IB/755E/NW/XX Black/white/grey









### **IB/755E**

SIZES: XS - XL sizing information on page 290

€ 119,00 (C)

PRECURVED FINGER

design for optimal comfort

bunchina

SELECTED GRIP AREA inserts are strategically

located in order to decrease

**ELASTIC BAND** 

on the wrists

**SLANTED CUT** 

**PRECURVED** 

**EXTERNAL SEAMS** 

SFI 3.3/5 on request

### HIGH ADHERENCE GLOVES

Fire retardant silicone rubber palm for optimized grip and sensitivity, with localized leather inserts that provide impact protection to pressure points areas.



MANUFACTURER: OMP MODEL: TECNICA EVO FIA STANDARD: FIA 8856-2000



MANUFACTURED ENTIRELY IN ITALY

SIZES: XS - XL sizing information on page 290

**IB/756** 

**PRECURVED EXTERNAL SEAMS** 

### **ULTRA-GRIP**

is used on the fingertips and forefingers for maximum grip of the steering

**EXTERNAL SEAMS** 

IB/756/B/XX Blue

### **VELCRO CLOSURE**

for snug fitting adjustment at the wrist





**LEATHER INSERTS** for more resistance

**ELASTIC WRIST STOP** 

RACING

PALM WITH FIRE-RETARDANT SILICONE RUBBER INSERTS proven to give optimal grip, lightness and sensitivity

**SLANTED CUT** 

## GLOVES

## **GLOVES**

#### **PROFESSIONAL GLOVES**

Light and resistant glove with elastic band on the wrist, straight cut design, inner seams. Leather reinforcements on the top of the fingers and silicone palm for best grip and sensitivity.



MANUFACTURER: OMP **MODEL: FIRST EVO 2016 MY FIA STANDARD: FIA 8856-2000** 

IB/757E/BC/XX Blue/cyan/white







#### **IB/757E**

SIZES: S - XL sizing information on page 290

**PRECURVED INTERNAL SEAMS** 



OMP

€ 84,00 (C)

#### **LEATHER INSERTS**

for more resistance



#### PROFESSIONAL GLOVES

Resistant and comfortable fireproof gloves with suede leather on palm and fingers. Palm with silicone inserts for a better grip. Excellent quality/ price ratio. Straight cut design with elastic band on the wrist. Inner seams.



MANUFACTURER: OMP MODEL: FIRST-S FIA STANDARD: FIA 8856-2000

IB/761/R/XX Red/white



**IB/761** 

SIZES: XS - XL sizing information on page 290 **INTERNAL SEAMS** 



€ 59,00 (C)







PALM WITH FIRE-RETARDANT,

SILICONE RUBBER INSERTS

proven to give optimal grip, lightness and sensitivity

## MISTRAL

## **GLOVES**

## NOLIO

€ 95,00 (C)

**SUEDE LEATHER INSERTS** 

on palm and fingers for very good grip

## **GLOVES**

**IB/746** 

SIZES: S - XL

sizing information

on page 290



Fireproof fabric with stretch suede inserts.



MANUFACTURER: OMP MODEL:MISTRAL FIA STANDARD: FIA 8856-2000



PADDED KNUCKLES

to improve strength

IB/750/R/XX Red



#### **IB/750**

SIZES: S - XL sizing information on page 290

**INTERNAL SEAMS** 

INTERNAL **SEAMS** 

€ 79,00 (C)

#### **SUEDE LEATHER INSERTS**

on palm and fingers for very good grip



## NEW RALLY

## **GLOVES**

#### STRONG AND DURABLE PROFESSIONAL GLOVE

Fireproof stretch fabric - suede leather. Ideal for use in harsh condition.

IB/702/B/XX Blue



IB/702/R/XX



IB/702/N/XX Black



**IB/702** 

IN COMPLIANCE WITH ISO 6940 SIZES: S - XL

sizing information on page 290



#### **VINTAGE GLOVE**

'70s design with fabrics and quality of last generation gloves. Fire-resistant fabric with stretch suede inserts. Internal seams.



MANUFACTURER: OMP MODEL: DIJON FIA STANDARD: FIA 8856-2000



IB/746/N/XX Black

**ELASTIC WRIST STOP** 



## TAZIO

**GLOVES** 

#### **VINTAGE GLOVE**

Smooth leather and cotton fabric.

IB/747/N/XX Black



### **COTTON FISHNET FABRIC**

#### **IB/747** € 27,50 (C)

OMP

SIZES: S - XL sizing information on page 290

SMOOTH LEATHER PALM







STRAP WITH VELCRO

SILICONE

**INSERTS** 

## **GLOVES**



**EXTERNAL SEAMS** 

## **GLOVES**

#### **KS-1 R GLOVES**

**EXTERNAL SEAMS** 

Elasticized super top glove. Silicone inserts on the palm, precurved for maximum grip. External seams for maximum sensitivity.

€ 98,00 (C)

KK02740

SIZES: XXS - XL sizing information on page 290

MANUFACTURED ENTIRELY IN ITALY

**ELASTIC BAND** 

on the wrists

**SLANTED CUT** 

**ULTRA-GRIP** 

is used on the fingertips and forefingers for maximum

grip on the steering wheels

#### TOP PROFESSIONAL KART GLOVE

In stretch material with high grip palm and outer seams. € 64,00 (C)

TAIL THE STATE OF THE STATE OF

KK02741


SIZES: XXS-XL sizing information on page 290



K5-1

INNER INDEX SEAM OF THE RIGHT GLOVE

KK02741058XX Fluo yellow/fluo green





PALM WITH **RUBBER APPLICATION** 

for an enhanced feeling on the steering wheel; it provides an exceptional grip











KK02740071XX Black/white/silver

**VELCRO STRAP** for tight fitting at the wrist

**ELASTIC WRIST STOP** 

and adjustable velcro strap for a tight fitting

at the wrist

## **GLOVES**

INTERNAL SEAMS

ts:

## **GLOVES**

#### PROFESSIONAL KART GLOVE

KK02742059XX Fluo yellow/black/white

**ANATOMIC SHAPED** 

In stretch material, with high grip palm. Internal seams.



KK02742

SIZES: XXS-XL sizing information on page 290

#### **CHILDREN SIZES: 4-6**

4	XXXXXS
5	XXXXS
6	XXXS

**ELASTIC WRIST STOP** 

**RUBBER INSERTS** 

KSTYLE



Kart gloves in stretch elasticized fabric. Excellent quality/price ratio.







KK02743175XX Blue/black/w





KK02743 € 32,00 (C)

SIZES: XXS-XL

sizing information on page 290 **CHILDREN SIZES: 4-5** 

XXXXXS XXXXS








SYNTHETIC **LEATHER PALM** 

with antiskid rubber inserts







PALM WITH

**RUBBER APPLICATION** 

for an enhanced feeling on the steering wheel; it provides an exceptional grip

**ELASTIC WRIST STOP** 



KK02744

SIZES: XXS-XL sizing information on page 290

#### **CHILDREN SIZES: 4-5**

4	XXXXXS	
5	XXXXS	

**SUEDE LEATHER** 

K02744099XX Fluo yellow



**VELCRO STRAP** 

for tight fitting at the wrist

**ELASTIC WRIST STOP** 

and adjustable velcro strap for a tight fitting

## **RAIN K**

### **NEOPRENE KARTING GLOVE**

Water and wind resistant.



## WGRICSHOP GLOVE

NB/1886

€ 22,50 (C)

#### TECHNICAL SHORT GLOVE FOR PROFESSIONAL USE

With palm in suede leather for best fitting and adherence.



SIZES: S-XL

sizing information on page 290

### **SHORT GLOVES**

NB/1885

€ 10,00 (C)

#### SHORT TECHNICAL GLOVE

Polyester/cotton.



elastic slipout-proof

SIZES: M (S-M) - L (L/XL)

**PRO MEC GLOVES** FLUO MECHANIC'S GLOVE € 129,00 (C) **IB/758** OMP OMP HIGH PROTECTION

SIZES: S-XL HOMOLOGATION: FIA 8856-2000

reinforcement

sizing information on page 290

### **LONG GLOVES**

NB/1868

€ 50,00 (C)

**ANTI SLIP** 

silicon rubber palm

#### LONG MODEL GLOVES

High heat resistance.



SIZES: M (S-M) - L (L/XL)

PALM INSERT

flame

retardant













ONE-S

ONEEVO

8856/2000

HAND AND FINGERS

SILICONE WEBBING

FIA

FIA	
8856/2000	
SFI on request*	

flame external retardant silicone

external silicone

mixed

internal/












#### TECNICA EVO

FIA 8856/2000	/
3030/2000	











FIRSTEVO

1A 856/2000	internal	leather and silicone
., .	internal	and







FIRST-S









The XX in each part

number indicates the location of the size.

IB/757E/N/XX

MISTRAL

FIA 8856/2000	internal	leather









NEW RALLY

NOCIO

8856/2000

FIA

ISO 6940	internal	





leather

HOMOLOGATION PRECURVED EXTERNAL SEAMS PALM INSERT SIZES

internal



XL









The XX in each part







#### PALM INSERT

silicone palm

rubber

application































XXS XL







































The XX in each part number indicates the location of the size.

### MECHANICS' GLOVES TABLE

## HOMOLOGATION VELCRO PALM INSERT SIZES



FIA 8856-2000










HOMOLOGATION VELCRO PALM INSERT SIZES



SHORT GLOVES















## ONEEVOR FORMULA

**SHOES** 

#### IC/805

SIZES: 37 - 48 sizing information on page 290

PROFESSIONAL ULTRA-SOFT AND ULTRA-LIGHT SHOES SOFT KANGAROO LEATHER Racing boot in soft leather and fabric with exclusive micro adjustment ROTOR LACING

that ensures an easy and quick lacing. Very light and comfortable. Structure designed to increase the sensitivty on the pedal. High resistance and best grip. The perforated leather permits best breathability.

**REAR BELLOW** 

€ 340,00 (C)





for micro adjustment and a perfect fitting

MINIMINE.

for minimum weight

#### COMFORT FOAM for pressure reduction

#### HIGH STIFFNESS INSERT

for load spreading and fatigue reduction coupled with thermal insulation layer

### **INJECTED SOLE**

for maximum grip and resistance to wear







IC/805370XX Black/silver/fluo yellow





IC/805071XX Black/white

RACING

**APPROVED** 

MANUFACTURER: OMP MODEL: ONE EVO R FORMULA FIA STANDARD: FIA 8856-2000

and provide maximum drive

## ONESVO

## **SHOES**

## ONE-5

€ 199,00 (C)

SPECIAL VERSION:

**RED SOLE, WHITE UPPER** 

## **SHOES**

IC/807

SIZES: 37 - 48

sizing information

on page 290 SFI 3.3/5 on request

#### PROFESSIONAL TOP LEVEL

Perforated full grain leather for high breathability and fabric inserts. High resistant, injected sole, best grip. Velcro strap for best fitting. Structure designed to increase the sensitivity on the pedal. Thin laces to guarantee and permit a good sliding and a quick lacing of the boots.

€ 239,00 (C)

SIZES: 36 - 48 sizing information on page 290

IC/806

**REAR BELLOW** 



IC/806099XX Fluo yellow/black/white

MANUFACTURER: OMP MODEL: ONE EVO FIA STANDARD: FIA 8856-2000





for maximum grip and resistance to wear

#### PIVOT-LIKE HEEL Design

for smooth pedal actuation

#### THIN LACES

for high sliding and quick lacing



for maximum breathability



C/00C020VV \\/\bita/blaal:/aib.aa



10 (000074) (V DI 1 / 1 / 1 / 1

**NEW FOOT SUPPORT** 

to reduce stress on the foot and provide maximum drive sensivity



IC/806061XX Red/black/white

#### PROFESSIONAL TOP LEVEL

Leather boot. Tecnichal reinforcements on the tip and on the heel. Injected high resistant sole and best grip. Velcro strap for the best fitting of the ankle. Inner sole with plate reinforcement for highest sensitivity and reduction of the stress on the feet. Thin laces to guarantee and permit a good sliding and a quick lacing of the boots. Modern design.



MANUFACTURER: OMP MODEL: ONE-S FIA STANDARD: FIA 8856-2000

#### **VELCRO STRAP**

for a best fitting of the ankle



#### INJECTED SOLE

for maximum grip and resistance to wear

IC/807020XX White/black/silver/red laces and sole

#### THIN LACES

for high sliding and quick lacing

#### TECNICAL REINFORCEMENTS

on the tip and on the heel



IC/807061XX Red/white/black



IC/807071XX Black/white/silver

### INNER SOLE

with plate reinforcement for highest sensitivity and reduction of stress on the feet.

BLACK SOLE, 4 DIFFERENT UPPERS



IC/807244XX Dark b

IC/807099XX Fluo yellow/black/anthracite

#### TECNICA EVO **SHOES**

## FIRST EVO

EUROPE

## **SHOES**

#### **PROFESSIONAL BOOTS**

Boots made of soft suede leather. High quality and resistant ultralight sole with inner reinforcement for maximum sensitivity and high protetction. Made with a single piece of leather in order to guarante maximum comfort and low weight. Features a new design and side protections on the tip.

EUROPE

**APPROVED** 

MANUFACTURER: OMP

MODEL: TECNICA EVO FIA STANDARD: FIA 8856-2000 € 169,00 (C)

SIZES: 37 - 48 sizing information on page 290 SFI 3.3/5 on request

IC/803E

#### PROFESSIONAL MID CUT BOOTS

Made of suede leather with an excellent quality/price ratio. Resistant sole with a round cutted heel in order to ease the rotation of the feet while driving. Velcro strap on the ankle for best fitting. Inner black knitted fabric. Reinforcements on the tip. Available in modern colors with fluo inserts.

€ 139,00 (C)

SIZES: 37 - 48 sizing information on page 290

IC/809



#### **VELCRO STRAP**

for a best fitting of the ankle



rotation of the feet while driving

IC/809182XX Anthracite/fluo yellow





ULTRALIGHT OUTSOLE CONSTRUCTION SOFT MATERIAL with inner reinforcement IC/803E071XX Black SOFT SUEDE SIDE PROTECTIONS

RACING

IC/803E041XX Blue

88

on the tip

## FIRST HIGH

## **BOOTS**

€ 125,00 (C)

## **SHOES**

IC/802

SIZES: 37 - 48

sizing information

on page 290


### PROFESSIONAL HIGH BOOTS

Made of suede leather with excellent quality/price ratio. Internal black knitted fabric.

APPROVED

SEPARATED ANKLE

strap closure



MANUFACTURER: OMP MODEL: FIRST HIGH FIA STANDARD: FIA 8856-2000





sole with heel support in order to help the rotation movement of the foot during driving

IC/799061XX Red

€ 159,00 (C)



CONFORTABLE **SOFT SUEDE LEATHER** 



IC/799

SIZES: 37 - 48 sizing information on page 290



Made of suede leather with excellent

PROFESSIONAL MID CUT BOOTS





**ROBUST AND RESISTANT** 

sole with heel support in order to help the rotation movement of the foot during driving

IC/802071XX Black





CONFORTABLE SOFT SUEDE LEATHER

## CO-DRIVER SHOES





## CARRERA HIGH

## **BOOTS**



## CARRERALOW

**BOOTS** 



## **SHOES**

## **SHOES**

IC/815



Super top boots with new generation sole which guarantees highest sensitivity, featuring Rotor lacing insipred by the fireproof ONE EVO R boots. Made of perforated microfiber with tecnical protetction on the tip.

IC/810 € 199,00 (C)

> SIZES: 34-47 sizing information on page 290

> > **REAR BELLOW**



TOP LEVEL KARTING SHOES

Top level karting shoes, derived directly from F1&WRC racing shoes. Realized

in polyurethane, with ultralight outsole specifically designed for karting that guarantees the highest sensitivity when driving.

Rear inserts in elastic padded material for improved comfort, separate ankle adjustment with velcro strap, pivot heel design for smooth actuation. Large areas in mesh fabric for best breathability.

€ 119,00 (C)

TAIL THE STATE OF THE STATE OF

SIZES: 37-48 **34-36 ONLY FLUO** YELLOW

sizing information on page 290





**NEW FOOT SUPPORT** 

to reduce stress on the foot and provide maximum drive sensivity

IC/815070XX Black/white/grey





IC/815120XX White/black/red

SIDE REINFORCEMENT ON THE TIP

## **SHOES**

**SHOES** 

MICROFIBER SHOES

MY 2017

€ 85,00 (C)

IC/812

SIZES: 32-47 sizing information on page 290

with black, cyan and white strings

in the same package

**SUEDE LEATHER SHOES** 

MY 2017

TAILS COME DISTRICT

€ 69,00 (C)

IC/813

SIZES: 32-47 sizing information on page 290



IC/813184XX Anthracite/white/fluo yellow



OUTSOLE

specifically designed for karting

**MESH INSERTS** 

K5-3



IC/813077XX Black/white/anthracite

















with black, fluo yellow, fluo green, fluo orange, cyan, red and anthracite strings in the same package











with black and cyan strings in the same package



with black, red and white strings

in the same package

with black, red and white strings

in the same package

IC/812273XX Black/white

IC/813241XX Blue/white/cyan

## WERICSHES SHOES



**INNOVATIVE MECHANICS SHOES** REALIZED IN COOPERATION WITH LOTTO SPORT ITALIA®



New concave and flexible sole favoring all feet moves.

### ORC3404

€ 39,50 (D)

SYNTHETIC LEATHER **INSERTS IN CARBON** FIBER LOOK

SIZES: 38,5-39-40-40,5-41 42-42,5 43-43,5-44 45-45,5-46-47



expanded material with cushioning syn-pulse system on the heel zone, which offers different levels of cushioning between the inner and outer part of the foot

#### **UPPER IN MESH**

new technological fabric able to offer maximum transpiration and surprising lightness.





**REACTIVE ARCH** 

flexible sole in concave shape, which guarantees maximum cushioning against impact forces, stabilty when planting the foot, reactivity during the thrust









IC/791E041XX IC/791E061XX IC/791E071XX

37

8856/2000



## GP8CARBON

**AIR VENTS** 

#### € 639,00 (C)

**HOMOLOGATION:** FIA 8859-2015

**SC781** 

**SNELL 2015** TWO SHELL SIZES SIZES: XS-XXL

sizing information on page 290

**CARBON FIBER SHELL** 

Very lightweight, with soft and comfortable high breathability fire retardant internal lining, bordered strap with double ring clousure and high precision adjustable visor with easy block system.

CARBON FIBER FULL FACE HELMET





## J8 CARBON

#### **CARBON FIBER OPEN FACE HELMET**

Very lightweight, with soft and comfortable high breathability fire retardant internal lining, bordered strap with double ring clousure and sun peak. Prepared to install intercom kit

€ 469,00 (C)

**SC783** 

**HOMOLOGATION:** FIA 8859-2015 **SNELL 2015 ONE SHELL SIZES** SIZES: XS-XXL

sizing information on page 290



#### **J8 INT. CARBON NEXUS**

SC784

**HOMOLOGATION:** FIA 8859-2015 - SNELL 2015

WITH INTERCOM KIT JA/878 (ear cups, high quality flexible microphone boom and Nexus plug).







## GP8

### SC785 € 359,00 (C) **FULL FACE HELMET HOMOLOGATION:** Lightweight, made in composite material with soft and comfortable FIA 8859-2015 **SNELL 2015** high breathability fire retardant internal lining, bordered strap with TWO SHELL SIZES double ring clousure and high SIZES: XS-XXL precision adjustable visor with easy sizing information on page 290 block system. **AIR VENTS** LIGHT COMPOSITE and intakes to ensure the best air ducting SHELL REAR SPOILER

### 2 VISORS INCLUDED

EASY BLOCK SYSTEM

complete with clear visor and a short touring smoked visor



**COMPLETE WITH HANS®** 

safety device clips

## J8 INTERCOM NEXUS







### HELMET ACCESSORIES

#### GP8 CARBON (SC781)

NB: Spare parts for old helmet models are still available on our website www.ompracing.com, in the helmets section.



#### J8 CARBON (SC783) - J8 CARBON INT. NEXUS (SC784)

NB: Spare parts for old helmet models are still available on our website www.ompracing.com, in the helmets section.




SPARE CHEECK PADS size XXS-XXL SC158 (no picture). € 70,00 (C) SPARE TOP INNER LINING size XS-XXL SC159 (no picture). € 50,00 (C)

## HELMET ACCESSORIES

#### GP8 (SC785)

NB: Spare parts for old helmet models are still available on our website www.ompracing.com, in the helmets section.



#### J8 (SC787) - J8 INT. STEREO (SC788) - J8 INT. NEXUS (SC794)

NB: Spare parts for old helmet models are still available on our website www.ompracing.com, in the helmets section.



SPARE CHEECK PADS size XXS-XXL SC158 (no picture). € 70,00 (C)

€ 22,00 (C)

SPARE TOP INNER LINING size XS-XXL SC159 (no picture). € 50,00 (C)



## TECH RACE NEXUS PLUG

12V POWER SUPPLY



### INTERCOM ACCESSORIES NEXUS PLUG



#### PROFESSIONAL INTERCOM

REDESIGNED ELECTRONIC FOR IMPROVED PERFORMANCE, INCREASED OUTPUT **VOLUME (+30%) AND ELECTRONIC** INTERFERENCES REDUCTION.

Fixable on rollbar or dashboard. Powered by 9V PP3 (not supplied) or by car battery (through JA/834 cable). **DIMENSIONS** 125X60X35 MM **EASY MOUNTING** 

€ 212,00 (C)

JA/856E

RCA AUDIO OUTPUT to videocamera



SEPARATED VOLUME



#### HEADSET

JA/844

MICROPHONE

JA/877

#### HEADSET. EXCELLENT INSULATION FROM EXTERNAL NOISE

Flexible microphone boom. Dynamic microphone with integrated noise reduction. Designed to be used with TECH-RACE intercom JA/856 or JA/856E and I-RACE JA/876. Compatible with most intercom units available on the market (adaptors may be needed see on page 112).

€ 188,00 (C)

AUDIO CABLE

JA/830

€ 35,50 (C)



Audio cable to connect the control box JA/876, JA/855 or JA/855E and JA/856 or JA/856E to the

camera car.

#### TECH-RACE SERIES: SPARE MICROPHONE BOOM

High quality microphone boom to be used as spare part for intercom kit JA/858, JA/858E, JA/878.



INTERCOM KIT

**JA/878E** 



#### TECH-RACE SERIES: INTERCOM KIT FOR OPEN FACE HELMETS WITH WIRE MOUNTED NEXUS CONNECTION

Excellent insulation from external noise. High quality flexible microphone boom. Dynamic microphone with integrated noise reduction. Designed to be used with TECH-RACE intercom JA/856, JA/856E, JA/876 and with J8 series helmets. Compatible with most Intercom units available on the market (adaptors may be needed see on page 114).

WIRE EXTENSION

JA/829

POWER SUPPLY CABLE

JA/834

#### **TECH-RACE SERIES: WIRE EXTENSION**

1,5 m long extension cable with Nexus plug. Compatible with TECH-RACE and I-RACE units (JA/876, JA/856, JA/856E) and with helmets JET10 (SC761E) and J8 series (only SC784 and SC794).

€ 73,00 (C)

**TECH-RACE SERIES:** POWER SUPPLY CABLE.

Designed to connect the TECH-RACE JA/856 or JA/856E control box to the 12V car Power

supply line.

€ 24.50 (C)



### COMPATIBILITY WITH OTHER BRANDS

### COMPATIBILITY AMONG OMP PRODUCTS NEXUS PLUG

OTHER BRANDS HELMETS + OMP NEXUS CONTROL BOX

**PELTOR HELMETS** male Nexus plug



ALL OMP NEXUS PLUG CONTROL BOX

JA/856 - JA/856E - JA/876

STILO HELMETS





ALL OMP NEXUS PLUG CONTROL BOX JA/856 - JA/856E - JA/876

OTHER BRANDS CONTROL BOX - OMP HELMETS

PELTOR CONTROL BOX



**ALL OMP NEXUS PLUG HELMETS** JET 8 (SC794) - JET 8 CARBON (SC784)

STILO CONTROL BOX male Nexus plug





**ALL OMP NEXUS PLUG HELMETS** 

JET 8 (SC794) - JET 8 CARBON (SC784)

#### STILO UNIT - OMP HELMET CONNECTING KIT

JA/852



OMP UNIT - STILO HELMET CONNECTING KIT


JA/865

Interface kit for connecting Stilo helmets to both TECH-RACE and I-RACE intercom units (JA/856, JA/856E, JA/855, JA/876).











## B-RACE STEREO PLUG



### STEREO PLUG COMPATIBLE CONTROL BOXES ACCESSORIES

**SC788** 

#### INTERCOM CONTROL BOX RACER LINE

Without loudspeakers and microphone.

One single driver/co-driver volume control. Powered by 9V PP3 battery (not supplied) or by car battery using JA/851 cable - can be fixed to rollbar and dashboard. Can be used with loudspeakers and microphone kit (JA/849E, JA/854E) or headseats JA/850E.

**DIMENSIONS** 125X60X35 MM

€ 67,00 (C)

JA/874



### **B-RACE ACCESSORIES**

Microphone kit for single helmet.

To be used with

Compatible with

€ 30,00 (C)

helmets.



MICROPHONE KIT JA/854

Microphone kit for single helmet. To be used with control box JA/874. Compatible with JET7 and J8 series helmets. € 78,00 (C)


## MICROPHONE KIT

JA/849E



### ADAPTOR CABLE

JA/851





JA/854

JA/851

JA/850E









**SC785** 



## GP 8K CARBON HELMET

## KJ-8 CARBO

## HELMET

#### **FULL FACE KARTING HELMET**

Made in carbon fiber, very lightweight, with soft and comfortable high breathability fire retardant internal lining, bordered strap with double ring clousure and high precision adjustable visor with easy block system.



€ 589,00 (C)

SC781K

HOMOLOGATION: SNELL 2015

FIA 8859-2015 mounting Hans® safety device clips (not included)

TWO SHELL SIZES SIZES: XS-XXL

SIZES: AS-AAL sizing information on page 290

**CARBON FIBER SHELL** 



REAR SPOILER

**2 VISORS INCLUDED** 

iridium gold visor

and clear visor.

complete with

EASY BLOCK SYSTEM



#### **FULL FACE KARTING HELMET**

CMR helmet made in carbon fiber. Very lighweight, with soft and comfortable high breathability internal lining, bordered strap with double ring clousure and high precision adjustable visor with easy block

AIR VENTS

and intakes to ensure the best air ducting

THE VIEW OF THE PARTY OF THE PA

€ 399,00 (C)

SC792

HOMOLOGATION: CMR 2016 TWO SHELL SIZES SIZES: XXS-L sizing information on page 290

**CARBON FIBER SHELL** 



complete with iridium gold visor and clear visor.

EASY BLOCK SYSTEM



KARTING

118

- 11

KARTING

## GP 8K

## HELMET

## **KJ-8**

## **HELMET**

#### **FULL FACE KARTING HELMET**

The Later Contract

Made in composite material.
Lightweight, with soft and comfortable high breathability fire retardant internal lining, bordered strap with double ring clousure and high precision adjustable visor with easy block system.

€ 309,00 (C)

#### HOMOLOGATION: **SNELL 2015**

SC785K

FIA 8859-2015 mounting Hans® safety device clips (not included)

## TWO SHELL SIZES

sizing information on page 290

SIZES: XS-XXL



AIR VENTS

and intakes to ensure the best air ducting







#### **FULL FACE KARTING HELMET**

CMR helmet made in composite material.
Lighweight, with soft and comfortable high
breathability internal lining, bordered strap with
double ring clousure and high precision adjustable
visor with easy block system.

€ 229,00 (C)

ALC: NOTE OF THE PARTY OF THE P

**SC790** 

**HOMOLOGATION:** CMR 2016 TWO SHELL SIZES SIZES: XXS-L

sizing information on page 290





## CIRCUIT

## HELMET

## STAR

## HELMET

#### **FULL FACE KARTING HELMET**

Full face thermoplastic helmet, velvet lining (not fireproof), step setting visor.

MY 2017

€ 89,00 (C)

SC611E

HOMOLOGATION ECE 22.05

SIZES: XS-XXL sizing information on page 290

OPEN FACE KARTING HELMET

Open face helmet with ABS shell, velvet lining not fireproof, with revomable peak.

MY 2017

€ 69,00 (C)

HOMOLOGATION ECE 22.05

SC607E

SIZES: S-XXL sizing information on page 290











12

## HELMET ACCESSORIES

#### GP8KCARBON(SC781K)

NB: Spare parts for old helmet models are still available on our website www.ompracing.com, in the helmets section.



#### KJ 8 CARBON (SC792)

NB: Spare parts for old helmet models are still available on our website www.ompracing.com, in the helmets section.



## GP 8K (SC785K)

NB: Spare parts for old helmet models are still available on our website www.ompracing.com, in the helmets section.

HELMET ACCESSORIES



#### KJ 8 (SC790)

NB: Spare parts for old helmet models are still available on our website www.ompracing.com, in the helmets section.



€ 50,00 (C)

## HELMET SPARE PARTS

### CIRCUIT (SC611E)


NB: Spare parts for old helmet models are still available on our website www.ompracing.com, in the helmets section.



#### STAR (SC607E)

NB: Spare parts for old helmet models are still available on our website www.ompracing.com, in the helmets section.





## ACCESSORIES

## ACCESSORIES

#### **NECK COLLAR** ID/789 Anatomic, round neck collar knit Nomex® for improved comfort. Inserts: Nomex® fabric. Padded: high density foam. One size. € 69,00 (C) ID/789061 ID/789041 ID/789071 Red Blue Black



## REIMS € 97,00 (C) SC067 VINTAGE CAP Made entirely of soft smooth skin. Rear loop with button for fixing googles. SIZES: S-XL



#### NA/1871



Helmet hook in steel. To be attached to the roll cage with supplied metal clamps.

€ 25,00 (C)

### NA/1858



Helmet carrying net in polyester. Suitable for all cars, can hold 2 helmets.

€ 62,00 (C)

### **SD20**



Hans strap bolder in rubber (pair), with sticker.

€ 9,00 (C)

### **COLLAR**

#### KK04003

€ 56,00 (C)

Anatomic homologated collar in expanded polyurethane multi density foam with increased rigidity at the rear "fin" of the collar. One size.



KK04003000075 Blue/black KK04003000071

Black

## HELMET BAG

### **ORA/2972**







**COLLAR** € 45,00 (C) KK04009 New waterproof kart neck support collar, modern K STYLE design. One size.

RACING

VINTAGE

## PROTECTIONS

## PROTECTIONS

#### **ELBOW PADS**

ID/791

KNEE PADS

ID/790

€ 46,00 (C)

Aramid ebow pads with inner padding. One size.



€ 59,00 (C)

Aramid knee pads with inner padding. In Nomex®. One size.

€ 25,50 (C)



### RACING

### **APRON**

NB/1879

€ 16,50 (C)

**COTTON APRON** 

Cotton apron, features a small tool pouch and large pockets.



NB/1879 Black

NB/1879061

**ONE SIZE** 

**APRON PLUS** 

**APRON PLUS** 

NB/1894

New professional apron for mechanics.



ONE SIZE - COLOR: Black

### **SLEEVES**

NB/1872

€ 48,00 (C)

Aluminized sleeves,

offering excellent protection against heat.



ONE SIZE

### **KS BODY PROTECTION**

KK048

€ 119,00 (C)

In polycarbonate material. Provides support and protection to ribs and back. Adjustable straps to improve comfort fittings. Properly shaped and stuffed to have ultra-comfort



LIGHTWEIGHT AND RESISTANT

**SOFT AREA** 

KK048071XX Black



KK048178XX Yellow

SIZES:

XS/S (lower chest 70-89 cm / height 160-170 cm) M/L (lower chest 89-110 cm / height 170-190 cm)

#### RIB PROTECTION VEST

KK04001

€ 45,50 (C)

Material: shock absorbing. Inserts: high vibration absorption.

Straps: double adjustable. Cover: stretch fabric.

KK04001XXX041 Blue

KK04001XXX061

KK04001XXX071 Black

SIZES: XS - XL



### **SHOE COVER**

KK08071XX

€ 23,50 (C)

Nylon rainproof shoe-cover. Seams: heat welded. Sole: ultra soft reinforced rubber.

Sizes:

XS (32/34) S (35/37) M (38/40) L (41/43) XL (44/47)

SIZES: XS - XL

### **ELBOW AND KNEE PADS**

KK04XXX

KK04006071

Padded elbow pads.

€ 16,00 (C)

KK04005071

Padded knee pads.

€ 16,00 (C)

ONE SIZE

### CARBON RIB PROTECTION VEST

**KK047E** 

€ 99,00 (C)

Carbon fiber rib protection vest. Straps: adjustable.



SIZES: XS - L

























RACING PAGE 136



VINTAGE
PAGE 158




KARTING PAGE 160



OFF ROAD
PAGE 161



TUNING
PAGE 162



#### SAFETY LEVEL COMPARABLE TO FORMULA 1 CARS

+300% INCREASED RESISTANCE compared to standard 8858/99, with exclusive technology for maximum resistance and lightness. Upholstering customized on demand. HC/880E seat bracket required (not included).

#### LARGER SHOULDER

harness slots



MANUFACTURER: OMP MODEL: HTE ONE HOM. NO: AS.007.10 FIA STANDARD: FIA 8862-2009

#### **REMOVABLE CUSHION**

split leg





#### HA/798

Same characteristics as HA/761E XL VERSION LARGER AND HIGHER

€ 5.599,00 (D)

NEW

FIA 8862-2009

### HA/761E

LIGHTWEIGHT CARBON FIBER SHELL

€ 4.980,00 (D)

HTE-BINE

W SIDE FIXING POINTS

HANS® COMPATIBLE

FIA 8862-2009

#### **REMOVABLE CUSHIONS**

back, base

## 625 365 490

Measure in mm sizing information on page 152-153

#### SAFETY LEVEL COMPARABLE TO FORMULA 1 CARS

+300% INCREASED RESISTANCE compared to standard 8858/99, with exclusive technology for maximum resistance and lightness.

Designed to allow installation and comfortable driving position also in GT cars with reduced internal room.

Fire resistant *Airnet* and velour upholstering (customized on demand).

HC/907 seat bracket required (not included).

#### LARGER SHOULDER

harness slots

**APPROVED** 

MANUFACTURER: OMP MODEL: HRC ONE HOM. NO: AS.033.14 FIA STANDARD: FIA 8862-2009

#### REMOVABLE CUSHIONS

back, base, split leg

Product financed in cooperation with resources POR CRO
Region of Liquria 2007-2013

#### HA/789

€ 4.980,00 (D)

HRC-DITE

HSC PATENT

CARBON FIBER SHELL W SIDE FIXING

POINTS
HANS® COMPATIBLE

FIA 8862-2009

SIDE HEAD protection

Measure in mm sizing information on page 152-153

## HRE-CARBON AIR



## HRE- CARBON



Region of Liguria 2007-2013

Measure in mm

sizing information on page 152-153

## FIBERGLASS

HRC-R

#### PROFESSIONAL FIBER SEAT

Designed to allow installation and comfortable driving position also in GT cars with reduced internal room. Fire resistant Airnet and velour upholstering.



PREDRILLED SHELL FOR AIR COOLING KIT HC/913



HSC PATENT

LARGER SHOULDER harness slots



MANUFACTURER: OMP MODEL: HRC FIBERGLASS AIR HOM. NO: CS.307.14 FIA STANDARD: FIA 8855-1999

#### **SEAT CUSHION**

also available in higher version (50mm) ref. HB/702

#### **DOUBLE LEG CUSHION**



Measure in mm sizing information on page 152-153

Same characteristics as HA/793 XL VERSION LARGER AND

sizing information

on page 152-153



MANUFACTURER: OMP MODEL: HRC FIBERGLASS AIR XL HOM. NO: CS.313.14 FIA STANDARD: FIA 8855-1999

Product financed in cooperation with resources POR CRO Region of Liguria 2007-2013

### FIRE FIBERGLASS XL

HIGHER





**HA/794** 

**HSC PATENT** COMPATIBLE



PREDRILLED SHELL FOR AIR COOLING KIT HC/913

€ 589,00 (C)

## HA/793

**FIBERGLASS** SHELL

W SIDE FIXING POINTS

HANS® COMPATIBLE

€ 539,00 (C)

#### SIDE HEAD

protection

#### REMOVABLE CUSHIONS

back, base, split leg

#### PROTOTIPO-R

Seat ideal for GT cars with ultralight carbon shell. Large shoulder harness slots to accomodate various heights. High side bolsters for lateral leg support and maximum protection. Head, back, side, base and splitted leg cushions are removable to allow maximum individual seating comfort. Upholstered entirely in velour. Compatible with Hans device.

#### LARGE SHOULDER HARNESS SLOTS

to accommodate various heights



MANUFACTURER: OMP MODEL: MCC/PROTOTIPO HOM. NO: CS.119.04 FIA STANDARD: FIA 8855-1999

#### REMOVABLE

head - back - lateral and base cushions

#### HIGH SIDE BOLSTERS

for lateral leg support

#### SPLIT LEG RESTS

to allow maximum individual seating comfort




CARBON SHELL W SIDE FIXING **POINTS** 

HANS® COMPATIBLE

€ 1.699,00 (C)





# HTE

HTE-E

# 

# 400

# PROFESSIONAL RACING SEAT

Upholstered in high breathable *Airnet* material.

SHAPED SAFETY

headrest



FIBERGLASS SHELL
W SIDE FIXING

POINTS
HANS® COMPATIBLE

€ 489,00 (C)



HSC PATENT COMPATIBLE

IMPROVED BACK SUPPORT

Measure in mm

sizing information on page 152-153

**APPROVED** 

MANUFACTURER: OMP MODEL: HTE FIBERGLASS HOM. NO: CS.184.06 FIA STANDARD: FIA 8855-1999

REMOVABLE CUSHIONS back, base, split leg

HITE-Z

### HA/771E/N

Same characteristics as HA/772E XL VERSION LARGER AND HIGHER



sizing information on page 152-153

HSC PATENT COMPATIBLE € 539,00 (C)



MANUFACTURER: OMP MODEL: HTE FIBERGLASS XL HOM. NO: CS.230.09 FIA STANDARD: FIA 8855-1999

# PROFESSIONAL RACING SEAT

Upholstered in high breathable *Airnet* material.

SPECIAL VERSION FOR CARS WITH SMALL SPACE IN THE UPPER PART



HA/780E/N

GEL COATED FIBERGLASS SHELL W SIDE FIXING POINTS

HANS® COMPATIBLE

€ 499,00 (C)



HSC PATENT COMPATIBLE





Measure in mm sizing information on page 152-153

# HTE-CARBON

### **PROFESSIONAL RACING SEAT**

Upholstered in high breathable Airnet material.

**CARBON FIBER** SHELL VERSION



HA/768E/N

# HTE-CARBON XL

### **PROFESSIONAL RACING SEAT**

Upholstered in high breathable Airnet material.

**CARBON FIBER** SHELL XL VERSION





### GEL COATED PROFESSIONAL RACING SEAT FIBERGLASS SHELL Upholstered in high W SIDE FIXING breathable Airnet material. POINTS HANS® COMPATIBLE € 419,00 (C) LARGE HARNESS SLOTS LIRC-RI **APPROVED** MANUFACTURER: OMP MODEL: WRC FIBERGLASS WRE HOM. NO: CS.183.06 FIA STANDARD: FIA 8855-1999 REMOVABLE CUSHIONS HIGH SIDE BOLSTER for lateral leg support







MANUFACTURER: OMP MODEL: WRC CARBON HOM. NO: CS.177.06 FIA STANDARD: FIA 8855-1999

sizing information on page 152-153

HA/769E/N

characteristics

**FIBER SHELL** 

€ 1.589,00 (C)

as HA/773E

**CARBON** 

**VERSION** 

Same



### **HA/778E/N**

Measure in mm

sizing information on page 152-153

HSC PATENT



Same characteristics as HA/773E XL VERSION **LARGER AND HIGHER** 

€ 489,00 (C)



MANUFACTURER: OMP MODEL: WRC FIBERGLASS WRE HOM. NO: CS.025.01 FIA STANDARD: FIA 8855-1999

sizing information on page 152-153

# FIRS

PRS-R

### **PROFESSIONAL RACING SEAT**

Entirely upholstered in new high breathability Airnet material.

LARGE HARNESS SLOTS



MANUFACTURER: OMP MODEL: ARS HOM. NO: CS.924.98 FIA STANDARD: FIA 8855-1999

### REMOVABLE

back - base - and leg cushion for maximum individual seating comfort



### HA/774E/N

GEL COATED FIBERGLASS SHELL W SIDE FIXING

POINTS

HANS® COMPATIBLE


€ 409,00 (C)



HSC PATENT COMPATIBLE

### MEDIUM HEIGHT SIDE BOLSTERS

for lateral leg support for higher protection



Measure in mm sizing information on page 152-153



HA/770E/N



**HSC PATENT** COMPATIBLE

characteristics as HA/774E/N **CARBON** FIBER SHELL **VERSION** 

€ 1.530,00 (C)




MANUFACTURER: OMP MODEL: ARS-R CARBON HOM. NO: CS.179.06 FIA STANDARD: FIA 8855-1999

sizing information on page 152-153

# **RACING SEAT**

Upholstered entirely in velour.

**SHAPED SAFETY** 



RS-ET



FIBERGLASS SHELL

W SIDE FIXING POINTS

HANS® COMPATIBLE

€ 399,00 (C)



HSC PATENT COMPATIBLE



MANUFACTURER: OMP MODEL: RS-P.T. HOM. NO: CS.229.09 FIA STANDARD: FIA 8855-1999

### REMOVABLE

back and leg cushion



HIGH SIDE BOLSTER

for lateral leg support



Measure in mm sizing information on page 152-153

# HA/766E/N GEL COATED **RACING SEAT** FIBERGLASS SHELL Upholstered entirely in velour. W SIDE FIXING POINTS HANS® COMPATIBLE € 299,00 (C) HSC PATENT COMPATIBLE CHAMA-R **APPROVED** MANUFACTURER: OMP MODEL: CHAMP HOM. NO: CS.826.97 FIA STANDARD: FIA 8855-1999 REMOVABLE back and leg cushion for maximum individual seating comfort BASE AND SHOULDERS UPHOLSTERED with anti-slip material to allow the maximum adherence to the seat

# 

### **ENTRY LEVEL SEAT**

Made of fiberglass shell, large shoulder harness slots to accommodate various heights. Entirely upholstered. Excellent quality/price ratio.





FIRST-R

FIBERGLASS SHELL

W SIDE FIXING POINTS

HANS® COMPATIBLE

€ 275,00 (C)



HSC PATENT COMPATIBLE



MANUFACTURER: OMP MODEL: FIRST-R HOM. NO: CS.183.06 FIA STANDARD: FIA 8855-1999

REMOVABLE CUSHION

FIBERGLASS SHELL



sizing information on page 152-153

Measure in mm

sizing information on page 152-153

# TREE PLUS

TR5-2

### VINYL RACING SEAT

Entirely upholstered in decorated vinyl. Excellent quality/price ratio.

LARGE HARNESS SLOTS




MANUFACTURER: OMP MODEL: T-RS HOM. NO: CS.243.10 FIA STANDARD: FIA 8855-1999





### REMOVABLE LEG CUSHION

rests to allow maximum individual seating comfort



Measure in mm sizing information on page 152-153

### HA/744E

TUBULAR STEEL FRAME

W SIDE AND Y **BOTTOM FIXING POINTS** 

HANS® COMPATIBLE

€ 229,00 (C)



HSC PATENT COMPATIBLE

HA/744E/RW Red/white

### MEDIUM HEIGHT SIDE BOLSTERS

for lateral leg support for higher protection

### TRS-Z SKY

### HA/760E/N



sizing information on page 152-153



MANUFACTURER: OMP MODEL: T-RS HOM. NO: CS.243.10 FIA STANDARD: FIA 8855-1999



**HSC PATENT** COMPATIBLE

Same characteristics as HA/744E **ONE COLOUR** SKY VERSION upholstered in black vinyl

€ 229,00 (C)

### **RACING SEAT**

Entirely upholstered in jacquard

Excellent quality/price ratio.

LARGE HARNESS SLOTS



MANUFACTURER: OMP MODEL: T-RS HOM. NO: CS.243.10 FIA STANDARD: FIA 8855-1999



HA/741E/R Red



HA/741E/N Black

### REMOVABLE LEG CUSHION

rests to allow maximum individual seating comfort

# TRSE OMP

**TUBULAR** STEEL FRAME W SIDE AND Y **BOTTOM FIXING** POINTS

HANS® COMPATIBLE


€ 180,00 (C)



**HSC PATENT** COMPATIBLE

### MEDIUM HEIGHT SIDE BOLSTERS

for lateral leg support for higher protection



Measure in mm sizing information on page 152-153

### TRS-ZXS HA/783E/N



MANUFACTURER: OMP

HSC PATENT

**COMPATIBLE** 

Same characteristics as HA/741E SMALL SIZE

**APPROVED** 





### **HA/781E/N**



**APPROVED** 



**HSC PATENT** COMPATIBLE

characteristics as HA/741E (only W side fixing points) LARGE SIZE **APPROVED** 

MANUFACTURER: OMP MODEL: TRS XL HOM. NO: CS.271.12 FIA STANDARD: FIA 8855-1999


€ 199,00 (C)


RACING

150

The following measurements are given as a guide. Actual measurements may vary to accommodate production. Seat fitting type: according to FIA regulations the seat must be fixed to the brackets by means of at least four bolts M8 class 8.8. The diagram shows the distances between the fixing points in mm.

\* the weight refers to the employ seat (typerange of 10%).





Α	external max width at shoulders
В	seat bottom to mid shoulders
С	seat bottom max external width
_	

shows the distances between the fixing points in mm.  * the weight refers to the complete seat (tolerance of 10%).  ** referring to bottom fixing points of the sliding guide.  TYPE W: inner side int. 289 mm TYPE Y: bottom 345x270 mm																	
LEGEND												) <u> </u>					
A external max width at shoulders B seat bottom to mid shoulders C seat bottom max external width D total height of seat back  E external max width at seat fixing inserts F seat inner width (belt holes area) I external width between Side head protections I external width between Side head protections										L height from the bottom to the harness slot  W= side fixing Y = bottom fixing							
номогод.	SHELL	AIRNET MATERIAL	CUSHIONS SPLIT LEG	А	В	С	D	E	F	G	н	ı	L	HARNESS SLOTS	WEIGHT* (KG)	FIXING	
FIA 8862/2009	CARBON		1	625	620	490	890	380	365	480	365	500	655	5	9.2	W	
HTE ONE )	KL HA/798	1						1	I I		 						
FIA 8862/2009	CARBON		<b>✓</b>	680	580	490	970	400	390	515	370	520	700	5	9.9	W	
HRC-ONE	HA/789																
FIA 8862/2000	CARBON	<b>/</b>	<b>/</b>	615	635	455	900	405	365	470	345	460	630	5	9.2	W	
HRC-R CA	RBON AIR	HA/786						[	I					! [	I		10)
FIA 8855/1999	CARBON	<b>/</b>	<b>/</b>	615	635	460	890	395	365	470	345	490	620	5	6,2	W	43
	ERGLASS A	IR HA/7	793	İ			l	ı	ı		l			ı	ı		
FIA 8855/1999	FIBERGLASS		<b>√</b>	620	635	470	900	390	365	470	370	530	620	5	9.5	W	4
	ERGLASS A	IR XL	HA/794				l	ı	I					ı	I		
FIA 8855/1999	FIBERGLASS	1	<b>√</b>	610	680	490	980	425	400	480	360	520	675	5	10.3	W	4
HRC-R CA	ARBON HA/	788 		ĺ		ı		I	I	ı	ı	l		I	l		ONE C
FIA 8855/1999	CARBON	<b>/</b>	<b>/</b>	615	635	460	890	395	365	470	345	490	620	5	5,8	W	
PROTOTIPO	O HA/745	I				ı		· I	I			ı		· I	i I		
FIA 8855/1999	CARBON	1	<b>✓</b>	530	520	440	790	385	380	480	360	450	570	5	6,1	W	1
HTE-R HA	/772E	I				ı		· I	I			ı		· I	i I		
FIA 8855/1999	FIBERGLASS	1	<b>✓</b>	560	570	515	880	420	390	490	315	480	665	5	9.4	W	1000
HTE-R 400	HA/780E	l					l	ı	l					ĺ	ı		CHI
FIA 8855/1999	FIBERGLASS	1	<b>✓</b>	560	570	515	880	420	390	490	310	420	665	5	10.2	W	
HTE-R XL	HA/771E	I		İ			l	ı	ı		l			ı	ı		000
FIA 8855/1999	FIBERGLASS	1	<b>✓</b>	580	610	530	920	440	415	550	305	485	705	5	10.5	w	350
HTE-R CAL	RBON HA/7	168E						I	I					I	I		OMP
FIA 8855/1999	CARBON	1	<b>✓</b>	545	560	465	880	390	370	470	330	490	665	5	6.6	W	100
HTE-R CAL	RBON XL H	IA/779E						l						I	l		(All )
FIA 8855/1999	CARBON	1	<b>/</b>	560	580	485	890	425	390	490	330	490	665	5	6.8	W	244

HOMOLOGATION		(®)	JNS EG		MEASURE IN MM												
	SHELL	AIRTEX® MATERIAL	CUSHIONS SPLIT LEG	А	В	С	D	E	F	G	н	ı	L	HARNESS SLOTS	WEIGHT* (KG)	FIXING	
	IA/773E	l	l	1					l								
FIA 8855/1999	FIBERGLASS	<b>√</b>	1	620	600	510	890	410	390	480	/	/	645	5	8.8	W	
WRC-R CA	ARBON HA,	/769E	ı														
FIA 8855/1999	CARBON	1	1	590	600	495	890	400	365	490	/	/	645	5	5.6	W	
WRC-R XL	HA/778E	ı	I														
FIA 8855/1999	FIBERGLASS	1	1	665	600	520	920	430	415	480	/	/	700	5	10.7	W	
ARS-R HA	A/774E																
FIA 8855/1999	FIBERGLASS	1		590	600	500	910	395	370	490	/	/	615	5	8.9	W	
ARS-R CA	RBON HA/7	770E															
FIA 8855/1999	CARBON	1		585	600	480	890	380	360	490	/	/	635	5	5.8	W	
RS-P.T. 2	HA/762E	ı	I														
FIA 8855/1999	FIBERGLASS			565	560	510	880	420	395	480	340	510	675	5	10.4	W	
CHAMP-R	HA/766E																
FIA 8855/1999	FIBERGLASS			590	575	520	890	400	360	480	/	/	615	5	8.8	W	
TRS-E PLUS	S HA/744E																
FIA 8855/1999	TUBULAR STEEL			585	640	510	890	410	390	470	/	/	600	5	10.3	W Y	
TRS-E SKY	HA/760E																
FIA 8855/1999	TUBULAR STEEL			585	640	510	890	410	390	470	/	/	600	5	10.8	W Y	
TRS-E HA	/741E																
FIA 8855/1999	TUBULAR STEEL			585	640	510	890	410	390	470	/	/	600	5	10.3	W Y	
TRS-E XS	HA/783E			' !													
FIA 8855/1999	TUBULAR STEEL			520	600	420	870	395	330	470	/	/	575	5	10.2	W Y	
TRS-E XL	HA/781E																
FIA 8855/1999	TUBULAR STEEL			625	680	540	950	450	415	520	/	/	655	5	12.3	W	
FIRST-R H	IA/790																200
FIA 8855/1999	FIBERGLASS			620	600	510	890	410	390	480	/	/	630	5	8.9	W	
TRS LEGEN	ND HA/775		ı	I													
FIA 8855/1999	TUBULAR STEEL			585	640	510	890	410	390	470	/	/	600	5	10.8	W Y	

### AIR COOLING KIT





**BACK CUSHION** 

**HB/703** 

AIR BLOWER

HC/914

Preforated back cushion to allow the best cooling effect of OMP air cooling system HC/913. Airenet material.

2 SIZES: **M** for HRC Fiberglass (HA/793)

XL for HRC Fiberglass XL (HA/794)

€ 79,00 (C)

0 0 0 for Air Cooling Kit HC/913 € 129,00 (C)

RACING OPTIONS ACCESSORIES

### **LATERAL PAIR CUSHIONS**

For HRC seats. Sizes: S, M Velour material.

€ 81,00 (C)



### LEG CUSHIONS

HB/698 Performed leg

support cushions. Airnet material.

€ 39,50 (C)

### **LEG CUSHIONS**

HB/700

1,5" flexible hose

€ 41,50 (C)

HC/913/T

€ 24,00 (C)

2 pieces flat leg support cushions. Airnet material.

€ 33,00 (C)

**SEAT CUSHIONS** 

### HB/702

Thicker seat cushions for HRC seat. Antislip velvet.

€ 45,50 (C)

### **SEAT CUSHIONS**

**REMOVABLE SEAT CUSHIONS** to be set with velcro only on velour upholstered seats.

Foamed resin, velour upholstered. Colour: black.

- A Lumbar support cushion, small HB/692 € 19.00 (C)
- B Lumbar support cushion, medium HB/662 € 25,50 (C)
- C Seat cushion HB/695 € 35,50 (C)
- D Leg support cushion HB/693 € **35,50 (C)**



### **HSC PATENT**

HC/893 Adjustable aluminium cover for 3 safety belt's positions setting. PATENTED

€ 150,00 (C)



HB/699

Velour material.

€ 33,00 (C)



RACING

sources (inner intake of the car)

(HC/913/R45)

as spare parts.

- 45° connection junction in rubber

- a connection junction in rubber (HC/913/R)


All components are sold also separately

CONNECTION

HC/913/R45


### BRACKETS

SIDE MOUNT BRACKET DIMENSIONS The dimensions are in mm.	Lowest rear mounting hole "A"	Rear range "B"	Front range "C"	Lowest front mounting hole "D"	Type of bolt pattern	Length of mounting plate "E"	Width of mounting plate "F"	Longitudinal range "G"	Number of holes
HC/731E	110	34.5	93	70.5	В	380	45	75	4
HC/733E	109	17	94	70.5	Α	350	52	25	3
HC/830	77	66	66	77	В	495	48.5	126	6
HC/833E	112	51	108	73.5	Α	422.5	59	112.5	10
HC/922	85	81	81	85	В	400	52	75	4
HC/923	75,5	100	100	75,5	В	495	50	125	6
HC/924	85	81	81	85	В	400	52	75	4
HC/925	75,5	100	100	75,5	В	495	50	125	6



### SINGLE ROW LOWER **MOUNTING HOLES "B"**

The multi-hole height/angle adjustment pattern of OMP brackets has been optimized to allow up to 21° of inclination, allowing for practically any height/angle mounting combination.



### **ALUMINIUM BRACKET** FIA APPENDIX J art. 253



Tall model. Aluminium. Length: 495 mm Thickness: 6 mm Ultra strong material.

000

€ 113,00 (C)

### **STEEL BRACKET** FIA APPENDIX J art. 253



Tall model. Steel. Length: 400 mm Thickness: 3 mm **Ultra strong** material.

€ 70,00 (C)

### **STEEL BRACKET** FIA APPENDIX J art. 253





Tall model. Steel. Length: 380 mm Thickness: 3 mm Ultra strong material.

€ 56,00 (C)

### **ALUMINIUM BRACKET** FIA APPENDIX J art. 253



Tall model. Aluminium. Length: 400 mm Thickness: 6 mm Ultra strong material.

€ 103,00 (C)

### ALUMINIUM BRACKET FIA APPENDIX J art. 253

### HC/830



Tall model equipped with a damper. Aluminium. Patented model. Length: 495 mm Thickness: 6 mm

€ 248,00 (C)

### DAMPING ELEMENT

to reduce vertical loads on the driver.

### **DUAL ROW LOWER MOUNTING HOLES "A"**

The contours of the OMP brackets have been designed so as not to interfere with the lap belt openings, edges or bottom of the seat.

# OM

### **STEEL BRACKET** FIA APPENDIX J art. 253

### HC/733E



Low model. Steel. Length: 350 mm Thickness: 3 mm Ultra strong material.

€ 43,00 (C)

### ALUMINIUM BRACKET FIA APPENDIX J art. 253

### HC/833E



Tall model. Aluminium. Length: 422.5 mm Thickness: 6 mm

HC/833E Aluminium HC/833E/N Black

€ 133,00 (C)

### STEEL BRACKET FIA APPENDIX J art. 253

### HC/923



Tall model. Steel. Length: 495 mm Thickness: 3 mm Ultra strong material.

€ 78,00 (C)

### **SEAT BRACKET**

### HC/880

€ 208,00 (D)

In compliance with FIA 8862-2009 rule and mandatory for the mounting of the HTE-ONE E seat; supplied with bolts M12. Steel. Thickness: 5 mm (no picture)

### SEAT BRACKET Produ

HC/907

€ 1.339,00 (D)

Pair of professional seat bracket in compliance with FIA 8862-2009 rule and mandatory for mounting new HRC-ONE seat (HA/789). Supplied wiht bolts and nuts. Entirely made of Ergal. (no picture)

### **LOWER MOUNTING HOLES "C"**

### STEEL BRACKET

### HC/665



Sliding rail kit to be mounted between the brackets and the seat. Steel. Not FIA approved.

€ 39.50 (A)

### HC/660



Pair of "L" shaped brackets to fit seats with lower attachment points (type Y) to side brackets.

Thickness: 3 mm

### UNIVERSAL SEAT SUBRFRAME

### HC/879



Weld-in universal seat subframe to be adapted to the shell of the vehicle. Two 35mm squared pipes. Length: 600 mm 4 plates for direct welding

to the body (80x60 thickness 3 mm). 4 plates for direct welding

to the tube (60x40 thickness 3 mm).

4 buckles for welding M8.

### STEEL BRACKET

Steel.

€ 56.00 (C)

### **ALUMINIUM UNIVERSAL BRACKET**

### HC/666



Universal couple of brackets for seat with lower attachments. Aluminium Not FIA approved.

€ 69.00 (A)

# CLASSIC

# SEAT

# SILVERSTONE

# SEAT



# VINTAGE SEAT SPECIFIC FOR OPEN CARS Upholstered in faux leather. TUBULAR STEEL FRAME M8 LOWER FIXING POINTS 345X270 MM Y FAUX LEATHER SEAT and back with horizontal quilting. Measure in mm

# BRANDSHATCH

# **SEAT**



# TRS - LEGEND

# **SEAT**







# RAID 2



KK05032

€ 45.00 (C)

REF. WIDTH KK0503227 27 cm KK0503229 29 cm KK0503230 30 cm KK0503231 31 cm KK0503232 32 cm KK0503233 33 cm KK0503236 36 cm KK0503238 38 cm

8 SIZES

KK0503127

KK0503129

KK0503130

KK0503131

KK0503132

KK0503133

FIBERGLASS SHELL

KK05031

WIDTH

27 cm

29 cm

30 cm

31 cm

32 cm

33 cm



€ 115,00 (C)

OMP

Fiberglass shell.

Upholstery: grey carpet.

### SEMITRANSPARENT SEAT

KK05030XX

KK05030LXX

€ 39,50 (C)



Semitransparent fiber glass.

8 SIZES

€ 45,00 (C)



### **SEAT PADDING**

**KK036** 

€ 28,00 (C)

Polyethylene seat padding kit (5 piece kit) pre-cut pads for kart seats. All components are self adhesive to facilitate positioning on any seat shell.



### **BREATHABLE FABRIC**

Reclinable seat for off-road cars. Quick-tilting mechanism for simple rear seat access.

HA/776E/N

€ 299,00 (A)

SKY VERSION Washable sky upholstering with synthetic carbon look leather einforcements

on the sides.

STEEL FRAME Y BOTTOM FIXING POINTS 345X270 MM SYNTHETIC LEATHER INSERTS OMP **UPHOLSTERED** in texture fabric and synthetic leather.

HA/776T/N

SYNTHETIC CARBON LOOK LEATHER REINFORCEMENTS

€ 299,00 (A)

on the sides

Measure in mm

### BRACKETS

HC/830

€ 248,00 (C)

Aluminium brackets.

Tall model equipped with a damper. Patented model.

Length: 495 mm

Thickness: 6 mm



to reduce vertical loads on the driver

FIA APPENDIX J - ART. 253

### **AIR CUSHION**

HB/665/CA

€ 109,00 (C)

Air cushion seat, upholstered in black synthetic leather, pressurizing valve on the front for easy adjustment. Adaptable to any seat, best in cases of high stress as in off-road and speedboat.





# STYLE

# **SEAT**

€ 299,00 (A)

HA/719E/N

TESTED AND COMPLYING WITH DIRECTIVE 96/37/CE

**TUBULAR STEEL** 

M8 Y BOTTOM FIXING POINTS

345X270 MM

3 SEAT BELT OPENINGS



# DESIGN 2

**SEAT** 

€ 279,00 (A)

HA/736E/N

TESTED AND COMPLYING WITH DIRECTIVE 96/37/CE

M8 Y BOTTOM FIXING POINTS

345X270 MM



TUNING

# STRADA

# **SEAT**

€ 239,00 (A)

### HA/750/N

TUBULAR STEEL

M8 Y BOTTOM FIXING POINTS

rear seat access

345X270 MM



# RALLYE

**SEAT** 

€ 230,00 (A)

HA/728E/N

**TUBULAR STEEL** 


345X270 MM

W SIDE 289 MM



TUNING

### SEATS TECHNICAL SPECIFICATIONS



### **LEGEND**

- A ext. max width at shoulders
- B seat bottom to mid shoulders ext. max width of side bolsters
- D tot. height of seat back
- E inner width between lateral torso protection
- bottom length
- W = side fixing (289 mm)
- Y = bottom fixing (345x270 mm)


			400	>	
ns	320(***)	A NS V	RIDE DIRECTION	::	*** HA/776E/N sliding brackets
			<del>&lt; 345</del> ➤		

			MEASUF	RE IN MM						
SHELL	Α	В	С	D	E	F	HARNESS SLOT	FIXING	118	
STYLE	/ RAID	2								
Tubular steel	560	630	510	970	300	560	3	Υ	HA/719E/N	H
DESIGN	12									
Tubular steel	540	640	510	950	310	560	3	Υ	HA/736E/N	
STRAD	A									
Tubular steel	540	640	510	950	310	560	2	Υ	HA/750/N	
RALLY										
Tubular steel	580	610	490	900	350	480+22	4	W+Y	HA/728E/N	

### SEAT MOUNTING EXAMPLES


### Seat with lower attachments points

- 1 Sliding brackets (HC/665)
- 2 Optional seat bracket spacer (HC/857 or HC/858)
- 3 Seat mounting bracket (vehicle specific)



### Seat with side attachments points

- 1 Side mounting brackets (Racing)
- 2 Sliding brackets (HC/665)
- 3 Seat mounting bracket (vehicle specific)



# SEAT BRACKETS

### HC/665

Universal sliding rail kit to be mounted between seat and seat bracket.

€ 39,50 (A)


Seat mounting brackets.



### HC/857

Seat bracket spacer allows the seat height to be adjusted, depending on which side is used for mounting.

Height: + 25 mm or + 50 mm above the vehicle specific adaptor.



€ 72,00 (A)

### HC/858

Seat bracket spacer to consent seat adjustment.

Height: + 50 mm, + 62 mm and + 75 mm respect to the vehicle specific adaptor.

Inclination: 2.5° or 5° seat angle adjustments.



€ 115.00 (A)

Search Complete Application List, for the complete list of available items - also on www.ompracing.com




TUNING 166 167



### COMPETITION HARNESS TECHNICAL FEATURES

# **DA0103 HSL**





Ultra light, ultra comfortable webbing with  $\textit{Dyneema}^{\text{\tiny B}}$ , the world strongest fiber<sup>TM</sup>



Professional lightweight quick release adjuster made of high strength forged aluminum, designed to minimize the weight and slipping of the webbing, ergonomic and compact.



Ultra light Titanium fixing element.



Ultra light Titanium fixing element.



Professional adjuster, endurance version.



Homologation extension for roll bar attachment.



Lightweight aluminum snap hook.



Lightweight steel snap hook.




Plate attachment.











PLATE ATTACHMENT

# **DA0102 HSL**



# 0036 HSL



Ultralight and comfortable saloon harness, ideal for rallies, making use of *Dyneema®*, *the world strongest fiber™*. Crotch and lap straps in Dyneema® fabric and shoulder straps in white polyester. For use with FHR.

€ 339,00 (C)


DA0036HSL

SALOON 6 POINTS FHR ONLY

WORLDWIDE



shoulder straps to the roll cage



### 2" CROTCH (T-BAR)

lap straps with quick triangle small size attachments



PROFESSIONAL LIGHTWEIGHT ADJUSTER



PROFESSIONAL ADJUSTER, ENDURANCE VERSION



ULTRALIGHT ALUMINIUM SNAP HOOK







ROLL BAR ATTACHMENT

# 0027 HSL

WRC BELTS

Ultra light, ultra comfortable webbing, making use

While vehicle engineers will appreciate the weight saving,

drivers appreciate the softness of the webbing and the

of Dyneema®, the world strongest fiber™.

€ 499,00 (C)

DA0027HSL

**SALOON** 6 POINTS **FHR ONLY** 

WORLDWIDE EXCLUSIVE

comfort they offer. Lightened camlock buckle. For use with FHR.



Product financed in cooperation with resources POR CRO Region of Liguria 2007-2013









**PROFESSIONAL** ADJUSTER, ENDURANCE **VERSION** 

ROLL BAR ATTACHMENT

# 0028 HSI

WTCC BELTS

Ultra light, ultra comfortable webbing, making use

Lightened camlock buckle. For use with FHR.

While vehicle engineers will appreciate the weight saving, drivers

appreciate the softness of the webbing and the comfort they offer.

of Dyneema®, the world strongest fiber™.

€ 499,00 (C)

**SALOON** 6 POINTS **FHR ONLY** 

DA0028HSL

WORLDWIDE EXCLUSIVE







FOR ROLL BAR ATTACHMENT





**ULTRA LIGHT STEEL SNAP HOOK** 

# 0029 HSL

WEC BELTS

New ultra light, ultra comfortable webbing, making use of Dyneema®, the world strongest fiber™. he strongest fiber in the world™. While vehicle engineers will appreciate the weight saving, drivers appreciate the softness of the webbing and the comfort they offer. Lightened camlock buckle. For use with FHR.

€ 499,00 (C)



### DA0029HSL

**SALOON** 6 POINTS **FHR ONLY** 

WORLDWIDE EXCLUSIVE



ULTRA LIGHT ALUMI-NIUM SNAP HOOK

FOR ROLL BAR ATTACHMENT

# 0023 HU

### **FORMULA 6 POINTS SEATBELT**

New ultra light, ultra comfortable webbing, making use of **Dyneema®**, the world strongest fiber™. While vehicle engineers will appreciate the weight saving, drivers appreciate the softness of the webbing and the comfort they offer. Lightened camlock buckle. For use with FHR.

€ 398,00 (C)

measures according to

customer's request

ONLY UPON REQUEST

**FORMULA** 6 POINTS **FHR ONLY** 

DA0023HL

WORLDWIDE EXCLUSIVE

### WEBBING END SEWN

specifically for Formula cars attachment

2/3" shoulder straps to be used only with the FHR System



MANUFACTURER: OMP MODEL: DA0023 HOM. NO: D-270.T/98 FIA STANDARD: FIA 8853/98

lap strap double plate attachment

crotch strap plate attachment (to be bolted)



Product financed in cooperation with resources POR CRO Region of Liguria 2007-2013





ULTRA LIGHT TITANIUM FIXING ELEMENT





**ADJUSTER** 

# 0024 HSL

### **FORMULA 8 POINTS SEATBELT**

Ultra light, ultra comfortable webbing, making use of  $\textit{Dyneema}^{\otimes}$ , the world strongest fiber<sup>TM</sup>. While vehicle engineers will appreciate the weight saving, drivers appreciate the softness of the webbing and the comfort they offer. Lightened camlock buckle. 2" shoulder strap pull down. For use with FHR.

€ 459,00 (C)

Dyneema<sup>®</sup>

### **ONLY UPON REQUEST**

measures according to customer's request

crotch strap

(to be bolted)

plate attachment

SMALL SIZE

attachment

### DA0024HSL

**FORMULA** 8 POINTS **FHR ONLY** 

WORLDWIDE EXCLUSIVE


### WEBBING END SEWN

specifically for Formula cars attachment

2/3" shoulder straps to be used only with the FHR **APPROVED** MANUFACTURER: OMP MODEL: DA0024 HOM, NO: D-282.T/98 FIA STANDARD: FIA 8853/98



lap strap double plate attachment







ULTRA LIGHT TITANIUM FIXING ELEMENT



### **FORMULA 6 POINTS SEATBELT**

New ultra light, ultra comfortable webbing, making use of  $\textit{Dyneema}^{\$}$ , the world strongest fiber<sup>TM</sup>. While vehicle engineers will appreciate the weight saving, drivers appreciate the softness of the webbing and the comfort they offer. Lightened camlock buckle. For use with FHR.

€ 499,00 (C)

customer's request

0030 HSI

**FORMULA** 6 POINTS

DA0030HSL

**FHR ONLY** 

WORLDWIDE EXCLUSIVE

### ONLY UPON REQUEST measures according to

2/3" shoulder straps to be ALSO AVAILABLE WITH used only with the FHR PLATE ATTACHMENTS System **APPROVED** MANUFACTURER: OMP MODEL: DA0030 HOM, NO: D-313.T/98 FIA STANDARD: FIA 8853/98 2"T-TYPE PULL-UP 2" crotch strap lap strap

Product financed in cooperation with resources POR CRO Region of Liguria 2007-2013







RACING

178


### COMPETITION HARNESS TECHNICAL FEATURES

# FOCUS OF N





Buckle of reduced dimensions, made of magnesium and ergal machined from solid.



MEASURE IN MM

ULTRALIGHT - PROFESSIONAL HARNESSES

O'LITTO LEIGHT	HOTE	COLOIG		TEODE-		ы
DA806HSL	1650	390	750	140	700	÷
DA806HSLE	1650	390	750	1	700	,
DA804SL	1650	390	750	140	700	<del>)</del>
	DA806HSL DA806HSLE	DA806HSL 1650 DA806HSLE 1650	DA806HSL 1650 390 DA806HSLE 1650 390	DA806HSL 1650 390 750 DA806HSLE 1650 390 750	DA806HSL 1650 390 750 140 DA806HSLE 1650 390 750 /	DA806HSL 1650 390 750 140 700 DA806HSLE 1650 390 750 / 700 DA804SL 1650 390 750 140 700

### LIGHT - PROFESSIONAL HARNESSES

	DA806	1650	390	750	140	700	*
۶	DA805HLP	1650	390	750	140	700	*
ū	DA804L	1650	390	750	140	700	*

DEL A B C D

### FESSIONAL HARNESSES

n	DA802H	1550	305	762	140	650	×
	DA802	1550	305	762	140	650	*
3	DA801	1550	305	762	140		*
	DA515HST	1000	500	800	5	700	×

 FORMULA ULTRALIGHT - PROFESSIONAL HARNESSES

 DA811HSL61320
 300
 660
 220
 700
 \*

 DA807HSL
 600
 450
 600
 140
 700
 \*

\* Homologation extension for rollbar attachme



Professional lightweight quick release adjuster made of high strength forged aluminum, designed to minimize the weight and slipping of the webbing, ergonomic and compact.



Light quick release adjuster made of steel and high strength aluminum, ergonomic and compact.



Professional adjuster made of high strength steel.



Plate attachment made of steel with high mechanical strength designed for formula cars.



Webbing end sewn specifically for formula cars attach.



Buckle fixed to the crotch strap.



Professional adjuster made of high strength steel for 2" lap strap.



Homologated also for direct attachment to roll bars.



Snap hook attachment made of steel with high mechanical strength designed to improve performance and for optimum safety.



Buckle fixed to the lap strap.



Runner for use with rubber bands - specifically for GT cars.



Runner for fixing intercom connectors.

RACING 180 RACING

# 806 HSLF







Blue



















# 804 SLF







Blue




Black

ULTRALIGHTWEIGHT ADJUSTER












# 806 HSLEF













DA806HSLEF71 Black













# 805 F





LIGHTWEIGHT

CROTCH STRAP BUCKLE FIXED

**ADJUSTER** 






Blue



Black










# 805 HLPF













DA805HLPF71 Black





FIXING INTERCOM CONNECTORS


ALSO AVAILABLE WITH PLATE CROTCH STRAP ATTACHMENTS REF. DA/805HLPFGT71 (black) DA/805HLPFGT61 (red)



PROFESSIONAL 2" ADJUSTER













DA804F41 Blue



DA804F71 Black













# 802 HF








Blue




















Blue



Black




FIXED

LAP STRAP BUCKLE














# 801 F

### DA801F **SALOON** PROFESSIONAL BELT € 159,00 (C) 4 POINTS **FHR FRIENDLY**











DA801F71 Black



FIXED

LAP STRAP BUCKLE




HOMOLOGATED FOR ROLL BAR



### SUPERLIGHT PROFESSIONAL BELT



MANUFACTURER: OMP MODEL: DA807 HOM. NO: D-255.T/98 FIA STANDARD: FIA 8853/98



811 FORMULA HANS® SL


### DA811HSLF

FORMULA 6 POINTS **FHR FRIENDLY** 

€ 239,00 (C)

shoulder straps to be used only with the **FHR System** 











# 807 FORMULA HANS® SL

### SUPERLIGHT PROFESSIONAL BELT



MANUFACTURER: OMP MODEL: DA807 HOM. NO: D-255.T/98 FIA STANDARD: FIA 8853/98



DA807HSLF **FORMULA** 6 POINTS **FHR ONLY** € 259,00 (C)

2/3"

shoulder straps to be used only with the FHR System







LAP STRAP BUCKLE FIXED







DA807HSL41 Blue



# 515 **HST**



# V LEG STRAP

6 points. Strap: 2" Eyebolts for spring catch attachment. Fits to the whole OMP range of saloon car harnesses (no DA801L).




DA80941 Blue



DA80971

Black



DA809

€ 25,50 (C)

# SAFETY BELTS ACCESSORIES

### HANS STRAP BOLDER

### **SD20**

Hans strap bolder in rubber (pair), with sticker.

€ 9,00 (C)



### **PROFESSIONAL CUTTER**

### DB/460E

Professional safety belt cutter with hammer, ight, emergency lamp and magnet.




### **EYEBOLT**

### DB/420

7/16" eyebolt to attach harness snap-hook fittings.

€ 3,00 (C)



A: 57 mm / B: 15.5 mm / C: 20 mm D: 7/16" UNF / L: 22 mm / S: 8 mm

### PLATE FOR EYEBOLTS

### DB/421

Reinforced threaded plate for eyebolts.

DIMENSIONS: 50x25x6 mm

# e € **2,10 (C)**

### CUTTER

### **DB/459**

Safety seat belt cutter.

€ 5,20 (C)



### CUTTER

### DB/461

Safety seat belt cutter.

€ 6,80 (C)



### SEAT BELT PLATE

### DB/418 FIA AF

Seat belt plate with threaded 7/16" nut. DIMENSIONS: 50x80x3 mm

 $\in$  3,60 (C)



### **SEAT BELT PADS**

### DB/450/3"

In velour, use with 3" seat belts.
Clousure: velcro.



DB/450/3"/B Blue



DB/450/3"/N Black

€ 21,00 (A)



DB/450/3"/R Red

### **SEAT BELT PADS**

### DB/454

In velour, used with 2" seat belts.
Closure: veloro.



DB/450/B Blue



Black

€ 15,00 (A)



### SEAT BELT PADS

### DB/450

In velour, used with 2" seat belts. Closure: veloro.



DB/450/E Blue



DB/450/N Black

€ 15,00 (A)









# Snap hook attachment. Adjusters: steel. Push button release: central. Supplied with 7/16" bolts. SHOULDER STRAPS 2" DA507041 Blue DA507071 Black LAP STRAPS 2"



# ROAD 3

# HARNESS



# STRADA 3

# **HARNESS**


**DA509 Bolt-in attachment.** Adjusters: steel. Push button release: central. HOMOLOGATION ECE Supplied with 7/16" bolts. 3 POINTS € 89,00 (A) SHOULDER STRAPS 2" DA509071 DA509061 Red



LAP STRAPS 2"



AB/106/...AW



FE45 steel bolt-in roll bars with Ø 40x2 & 50x2 tubing, connecting sleeve tubes and renforced brace in the main hoop. Supplied with door bars and diagonal reinforcement at rear.

The images of the rollbar next to the root codes are purely illustrative - to verify the actual see the application list on www.ompracing.com




FE45 steel bolt-in roll bars with door bars.

To be cut to measure and welded upon installation.

The images of the rollbar next to the root codes are purely illustrative - to verify the actual see the application list on www.ompracing.com

AA/104P/...



AB/106/...A supplied partially assembled. AB/106/...AW supplied not assembled. Multi-point weld-in chromoly (25CrMo4) roll bars. Reduced weight and improved rigidity compared with steel boltin roll bars.

Supplied partially assembled to facilitate and reduce installation cost.

The images of the rollbar next to the root codes are purely illustrative - to verify the actual see the application list on www.ompracing.com




Multi-point bolt-in chromoly (25CrMo4) roll bars. Reduced weight and improved torsional

rigidity.

The images of the rollbar next to the root codes are purely illustrative - to verify the actual see the application list on www.ompracing.com

FE 45 BOLT-IN


AB/105P/...



FE45 steel multi-point boltin roll bars with Ø 40x2 & 50x2 tubing, connecting sleeve tubes and door bars. To be cut to measure and welded upon installation.

The images of the rollbar next to the root codes are purely illustrative - to verify the actual see the application list on www.ompracing.com

FE 45 WELD-IN AA/105/...A



FE45 steel weld-in roll bars with Ø 50x2 tubing on the main hoop and Ø 40x2 tubing elsewhere. It may be necessary to remove or cut interior panels to facilitate installation.

The images of the rollbar next to the root codes are purely illustrative - to verify the actual see the application list on www.ompracing.com

OFF ROAD BOLT-IN

**R**/...




Off road Fe 45 steel bolt-in roll bars.

The images of the rollbar next to the root codes are purely illustrative - to verify the actual see the application list on www.ompracing.com

REPLACEMENT HOOP AA/103/...

AA/102/...

AB/108/...



AA/103/... AB/107/... Replcement front hoop in FE45 steel (only for AA/104P and AB/105P). AA/102/... AB/108/... Replcement rear hoop in

FE45 steel (only for

AA/104P and AB/105P).

The images of the rollbar next to the root codes are purely illustrative - to verify the actual see the application list on www.ompracing.com

ROLL BARS NOT DISTRIBUTED IN THE US

ROLL BARS NOT DISTRIBUTED IN THE US

RACING

200

### ROLL CAGE ACCESSORIES

### **RUBBER SLEEVING**

### **AA/113**

FIA-J ANN

Foamed rubber sleeving for roll bar sold in pieces of 2 m.

AA/113-40 Ø 40 mm

€ 20,00 (C)



### REINFORCEMENT

### **AA/175**

FIA-J ANN

Universal "L" shaped reinforcement plate. Adjustable and suitable for any standard steel roll bar.

Thickness: 3 mm

€ 10,00 (C)

### CONNECTING TUBE

### AA/195

Sleeve connecting tube in Fe45 steel.

for tubing Ø 40 mm



€ 16,00 (C)

### DOOR BARS

AA/108

FIA-J ANN

Pair of door bars FE 45 steel, to be welded (no picture).

Length: 1.20 m Thickness: 2 mm Ø 40 mm € 60,00 (C)

### CONNECTION

### AA/122

FIA-J ANN

Connection for roll bar, complete with hardware. AA/122 with tube Ø 40 mm

€ 8,10 (C)

AA/122-50 with tube Ø 50 mm

€ 7,80 (C)

### REINFORCEMENT

### AA/123

FIA-J ANN

Reinforcement to be used with connections AA/122 and AA/122-50.



€ 6,40 (C)

AA/175/S

FIA-J ANN Flat plate lower reinforcement for standard roll bars.

Dimensions: 100x120x3 mm



€ 4,00 (C)

### **DOOR BARS**

AA/109

FIA-J ANN

Pair of door bars FE 45 steel, complete with connections.

Length: 1.25 m Thickness: 2 mm Ø 40 mm € 99,00 (C)

### REINFORCE

AA/200

Reinforce roll bar crosses.

Thickness: 1,5 mm Gusset: 80°



€ 12,10 (C)

### REINFORCE

AA/201

Reinforce roll bar crosses. Thickness: 1.5 mm Gusset: 1009



€ 12,10 (C)

### **ENERGY ABSORBING**

### **AA115A**

Molded energy absorbing roll bar padding suitable for both.

Length: 490 mm For tube Ø 40/50 mm



MANUFACTURER: OMP MODEL: AA115A HOM. NO: CP.007.06.A FIA STANDARD: FIA 8857-2001



### REINFORCEMENT

### **AA/111**

FIA-J ANN

Pair assembled cross door reinforcement, connections included.




### REINFORCEMENT

### AA/202A

FIA-J ANN

Pair assembled cross door reinforcement, connections included. Ø 40x2 mm



€ 115,00 (C)

### REINFORCEMENT

### AA/203

FIA-J ANN

Kit (2+2) of perforated plates for rollbar fixing in.



€ 22,00 (C)


Front



### AA/111A FIA-J ANN

**REINFORCEMENT** 

Pair not assembled cross door reinforcement, connections included. Ø 40x2 mm



### REINFORCEMENT

### AA/204

FIA-J ANN

Pair of door reinforcements in FE45. Supplied with connecting sleeves. Nuts and bolts included.

**Length:** 1.25 m Ø 40x2 mm



### COVER

### AA/113/FT AA/113/FP

€ 30,50 (C)

€ 46,50 (C)







Red

AA/113/FT/B (50 cm) AA/113/FP/B (100 cm)

AA/113/FT/N (50 cm) AA/113/FP/N (100 cm) Black

Pair of door bar covers in velour material (same as competition seats) to cover rubber sleeving Ref. AA/113 velcro closing.

Blue

### SUMPGUARDS. TANKGUARDS AND DIFFERENTIAL GUARDS

Made from a special aluminium alloy, these sumpguards have several functions: they protect the mechanical parts such as sump, gear-box, transmission etc. and they also contribute to stiffen the whole body and the front part of the car. For this reason they are suitable for every day use and are particularly useful for those driving on uneven roads.

Search Complete Application List - also on www.ompracing.com







# CEFALB

€ 639,00 (C)

### PLATINUM COLLECTION

Extinguisher system (engine compartment and cockpit) electrically activated, with control box, tubings, nozzles. Ultralight aluminium bottle with reduced dimensions.

0,9 It of Ecolife

### Total weight:

1,8 kg (with stainless steel brackets and clamps).



MANUFACTURER: OMP MODEL: ECOLIFE GOLD ONE SEAT HOM. NO: EX.036.11 FIA STANDARD: FIA 2000









CONTROL BOX

6-8 REDUCTION







LENGTH 194 mm









OZONE

ECQLife





ULTRALIGHT

Ø 100 mm

CEFAL3

**FORMULA** 

CARS

THE SMALLEST

IN THE WORLD

# CESALBR

### PLATINUM COLLECTION

Extinguisher system (engine compartment and cockpit) electrically activated, with control box, tubings, noozles, aluminium

3 It of Ecolife.

### Total weight:

4,3 kg (with stainless steel brackets and clamps).



MANUFACTURER: OMP MODEL: ECOLIFE HOM. NO: EX.008.00 FIA STANDARD: FIA 2000



SALOON CARS SPECIAL FOR **RALLY** 

Ø 160 mm



















CEFAL 2

€ 509,00 (C)





ECQUE







# CESALB

### PLATINUM COLLECTION

Extinguisher system (engine compartment and cockpit) electrically activated, with control box, tubings, nozzles. New ultralight aluminium bottle with reduced dimensions.

1,3 It of Ecolife.

### Total weight:

2,5 kg (with stainless steel brackets and clamps).



€ 729,00 (C)





CESAL3 SALOON CARS



NOZZLES

**ULTRALIGHT** Ø 130 mm



CONNECTIONS 2 ø8 - 1 ø6

3 ø8 - 1 ø6





### WHITE COLLECTION

Extinguisher system (engine compartment and cockpit) electrically activated, with control box, tubings, nozzles, aluminium bottle.

2,8 It of Ecolife.

### Total weight:

4,3 kg (with stainless steel brackets and clamps).





Ø 160 mm

CEFAL2

**FORMULA** 

**CARS** 



























5M AL TUBING

3M AL TUBING

206

PUSH BUTTON

# CESAL 2

### WHITE COLLECTION

Extinguisher system (engine compartment and cockpit) electrically activated, with control box, tubings, nozzles, aluminium bottle.

4,25 It of Ecolife.

### Total weight:

6,2 kg (with stainless steel brackets and clamps).



MANUFACTURER: OMP MODEL: ECOLIFE HOM. NO: EX.008.00 **FIA STANDARD: FIA 2000** 



CESAL2 **SALOON** 

CARS

Ø 160 mm























CMSST1

SALOON

**CARS** 

# **BLACK COLLECTION**

Extinguisher system (engine compartment and cockpit) electrically activated, with control box, tubings, noozles, steel bottle.

4,25 It of Ecolife.

### Total weight:

7,7 kg (with stainless steel brackets and clamps).



CESSTI

**SALOON** CARS SPECIAL FOR **RALLY** 

Ø 160 mm























# CMSST 1

### **BLACK COLLECTION**

Extinguisher system (engine compartment and cockpit) mechanically activated, steel bottle, complete with tubings, nozzles, steel bottle.

4,25 It of Ecolife.

### Total weight:

8,1 kg (with stainless steel brackets and clamps).



MANUFACTURER: OMP MODEL: ECOLIFE HOM. NO: EX.009.00 FIA STANDARD: FIA 2000



Ø 160 mm

# CMFST 1

### **BLACK COLLECTION**

Extinguisher system (engine compartment and cockpit) mechanically activated, tubings, nozzles, steel bottle.

2,8 It of Ecolife.

### Total weight:

5,6 kg (with stainless steel brackets and clamps).



€ 259,00 (C)









Ø 130 mm



CMSSTI/R







































# OMP SPORT

€ 199,00 (C)

### **OMP SPORT**

Extinguisher system (engine compartment and cockpit) mechanically activated, steel bottle, complete with tubings, nozzles, steel bottle.

4,25 It of Ecolife.

### **Total weight:**

8,1 kg (with stainless steel brackets and clamps).



MANUFACTURER: OMP MODEL: ECOLIFE HOM. NO: EX.026.08 FIA STANDARD: FIA 2000















LENGTH 330 mm





ECQ



# HAND HELD EXTINGUISHERS

### ALUMINIUM EXTING.

### **CAB/316**

EN3

### STEEL EXTING.

### **CAB/322**

Aluminium hand held extinguisher, 2 Kg powder. Complete with stainless steel brackets and quick release clamps. Total weight: 3,1 kg

CA/372

**SALOON** 

CARS

**160 mm** 

OZONE FRIENDLY

Ø 108 mm



Steel hand held extinguisher, EN3 4 Kg powder, A/B/C classes. Complete with stainless steel brackets and quick release clamps. Total weight: 6 kg 160 mm € 89,00 (C)

€ 69,00 (C)

### STEEL EXTING.

### **CAB/319**

### ALUMINIUM EXTING.

### **CBB/351**

Steel hand held extinguisher, 2.4 I Ecolife. Complete with aluminium brackets and stainless steel quick release clamps. **Total weight**: 5 kg

IN COMPLIANCE WITH FIA RULES

130 mm



CAB/319/R Red

> CAB/319 Black

€ 105,00 (C)



Aluminium hand held extinguisher, 2.4 I Ecolife. Complete with aluminium brackets and stainless steel quick release clamps. Total weight: 4 kg

IN COMPLIANCE WITH FIA RULES





CBB/351/R



Silver

CBB/351 White

€ 182,00 (C)



## REPLACEMENT PARTS

### PLATINUM - WHITE - BLACK COLLECTION

CD/360

Control box for

extinguishing

systems. With

electrically

activated

### CD/393

Atomiser nozzle specifically for Ecolife systems to be threaded onto "T" or "L" connectors.

€ 4,80 (C)

### CD/398

Control box for electrically activated units with wiring



€ 84,00 (C)

new advanced electronic unit complying with FIA 8856-2015 rules. Complying with IP55 waterproof standard.

€ 169,00 (C)

### CD/324/10/N

Fire resistant sheath 5 m roll, ø 10 mm (or ø 8mm ref. CD/324/8/N).

€ 10,50 (C)



### X/363/E/CAV

Electric extinguisher valve cable w. jack.



X/398/CAV



**EA/467** 

Water-proof push button for external control.



X/181493

Rubber ring for push button EA/467



### PLATINUM COLLECTION

### CD/395/N

Straight connection ø8 mm (1/8" junction).



### CD/390/N

3-way connection with quick attachments ø8 mm.

€ 6,20 (C)

### CD/392/N

1/8" connection, "T" shaped with quick couplings. ø8 mm

€ 6,70 (C)



### CD/392/N/6

1/8" connection, "T" shaped with quick couplings. ø 6 mm

€ 5,40 (C)



### CD/399

Reduction tube ø 6-8 mm.

CD/323/N/8

€ 4,80 (C)

Aluminium

€ 15,50 (C)

ø 8 mm - L. 5 m

tubing



### CD/391/N

90° end connection, 1/8" shaped with quick attachments. ø8mm



€ 5.90 (C)

### CD/391/N/6

90° end connection, 1/8" shaped with quick attachments. ø 6 mm

### CD/400

Bracket for CEFAL3.





# Bracket for

CESAL3.

€ 22,50 (C)



### CD/401







CD/394

CD/390

3-way connection with quick attachments.

CD/309

Bracket for HAND HELD STEEL extinguishers

Ecolife: CAB/319, ø 132 mm (no picture)

### (1/8" junction).

Aluminium tubing

Straight

connection

CD/404

Bracket only for OMP

CD/392

connection, with quick

WHITE - BLACK COLLECTION - OMP SPORT

CD/323/A € 6,00 (C)

€ 3,40 (C)

ø 6 mm - 4 m

€ 18,50 (C)

Sport CA/372 (no picture)

"T" shaped couplings.

CD/314

Bracket for

bottles for

systems in

ø 130 mm,

ø 132 mm

either STEEL

or ALUMINUM

SINGLE fixed



€ 4,90 (C)

€ 21,50 (C)

CD/391

€ 4,80 (C)

90° end connection, 1/8" shaped with quick attachments.



€ 18,50 (C) CD/308

Bracket for fixed bottles for systems in either STEEL or ALUMINIUM, ø 160 mm

€ 20,50 (C)

### HAND HELD EXTINGUISHERS

€ 20,50 (C)

### € 21,00 (C)

€ 18,50 (C)

€ 19,00 (C)

€ 20,50 (C)

€ 3,40 (C)



Bracket for HAND < **HELD STEEL** extinguishers Ecolife: CAB/319, ø 132 mm

CD/404

**Bracket for OMP Sport** CA/372 (no picture)

CD/405

Bracket for STEEL extinguisher CAB/322, ø 160 mm (no picture)

# CD/309

Bracket for HAND HELD STEEL extinguishers Ecolife: CAB/319, ø 132 mm

### CD/311/S-AT

Anti-torpedo tabs for double brackets extinguishers (e.g. CEFAL2)

€ 18,50 (C)



### CD/300-AT

Anti-torpedo tabs for mono brackets extinguishers (e.g. CEFAL3)

**Bracket for ALUMINIUM** 

CBB/351 ø 130 mm

HAND HELD extinguisher:

€ 18,00 (C)



295 390 132

227 330 108

300 390 130

Support brackets are made according to the current FIA standard


CAB/319

CAB/316

CBB/351

### **Bottle dimensions:**

The dimensions of A, B, C are in mm. \*Total weight including: bottle, valve, dip tube, liquid, brackets.



VALVE LOCATED ON THE END OF THE CYLINDER BODY

Ref.	Ecolife (lt.)	Empty (kg)	Total weight*	Α	В	C	
PLATINUM CO	LLECTION	all a	muu	77	Ų,	//	
CEFAL3/B	0.9	0.4	1.8	194	235	100	d
CESAL3/B	1.3	0.7	2.5	204	246	130	ń
CESAL3R/B	2.8	0.94	4.3	245	286	160	
WHITE COLLEC	TION	All all and		$a_0$	74	æ	
CEFAL2/B	2.8	0.94	4.3	245	286	160	7
CESAL2/B	4.25	1.3	6.2	315	210	160	
BLACK COLLEC	CTION	442744	20 11 18	$\mathcal{Q}$	754.	ar	5
CMSST1/B	4.25	2.4	8.1	330	420	160	١
CMFST1/B	2.8	1.97	5.6	295	385	130	١
CESST1/B	4.25	2.4	7.7	330	385	160	
OMP SPORT							
CA/372/B	4.25	2.4	8.1	330	420	160	
HAND HELD		11/16					
CAB/322	4 Kg powder	2.5	6.5	310	405	160	
CONTRACT TO A STATE OF	The second secon		M / PM /	77			

0.7

1.15

2 Kg powder

2.4

€ 4,40 (C)

€ 25,00 (C)

Y shaped connection with quick attachments ø 8mm (no picture)

€ 7,00 (C)

# CD/323/N/6

Aluminium tubing ø 6 mm - L. 3 m

€ 8,00 (C)



### BLACK COLLECTION

CD/335

Pull cable for mechanically operated systems.

RACING

3.1

4.0



# 320 HYBRID S

# 310 ALU GT

### SUPER PROFESSIONAL RALLY STEERING WHEEL

Flat steering wheel made with a new exclusive composite technology (carbon fiber and Dyneema®) 300% more resistant than the carbon steering wheel and 20% lighter. Supplied with horn button. Prepared to install 4 bottoms (not included) Realized and developed in cooperation with Sébastien Ogier, WRC world champion with VW Motorsport.



# OD/2048

**CARBON FIBER AND DYNEEMA® FLAT** SUPPLIED WITH **HORN BUTTON** 

€ 990,00 (D)

### SUPERLIGHT PROFESSIONAL GT STEERING WHEEL

Completely made in aluminium and suede

leather.
Studied and ready for the installation of most popular electronic display like:
MoTec C125 and AiM MXL




Sample image of MoTec C125 setup.

**ALUMINIUM** FLAT

OD/2044/N


€ 370,00 (C)

OVER 20% LIGHTER
300% MORE RESISTANT
IN COMPARISON WITH CARBON VERSION **SUEDE LEATHER** CARBON DYNEEMA® 4 PREDRILLED HOLES



Diameter: 325 mm Handgrip: oval 35x24 mm





Diameter: 315 mm Handgrip: oval 36x30 mm

COLORED STITCHING

# 320 CARBONS

# SUPERLIGHT PROFESSIONAL STEERING WHEEL

Carbon steering wheel is constructed as one integral piece.



# OD/2032/N

CARBON FIBER FLAT SUPPLIED WITH HORN BUTTON

# ON FIBER SUPERLIGHT PROFESSIONAL DISHED STEERING WHEEL

Carbon steering wheel is constructed as one integral piece.

# OD/2028/N

50% LIGHTER

50% LIGHTER


15% MORE RESISTANT

IN COMPARISON WITH STANDARD VERSION

CARBON FIBER DISHED SUPPLIED WITH HORN BUTTON

€ 505,00 (C)







350 CARBON D

Diameter: 350 mm Handgrip: round 30 mm

# 320 ALU SP

### LIGHT PROFESSIONAL STEERING WHEEL

Made completely in aluminium and suede leather. Preforated version with central hole supplied with horn button.

This version has been derived from the model 320 Carbon S, which has been designed in cooperation with

P. Solberg (FIA World RX 2014/21015 Winner)

# OD/2042F

**ALUMINIUM FLAT** SUPPLIED WITH HORN BUTTON



Same characteristics as OD/2042F. Standard version.



Diameter: 320 mm Handgrip: oval 35x24 mm

### SUPER PROFESSIONAL RALLY STEERING WHEEL

Flat steering wheel, in aluminium, 350 mm diameter, round 30 mm handgrip. With colored marks on the crow to indicate steering wheel angles (0° - 25° - 55° - 100° - 160°)

OD/2046

ALUMINIUM FLAT **SUPPLIED WITH HORN BUTTON** 

€ 235,00 (C)



RECCE

Diameter: 350 mm Handgrip: round 30 mm

# VELOCITA' SUPERLEGGERO

# CORSICA SUPERLEGGERO





OD/2021/N

**ALUMINIUM** 

**SUPPLIED WITH** 

HORN BUTTON

€ 225,00 (C)

DISHED

€ 265,00 (C)

# CORSICA

# RALLY





### **OD/1954/TN**

In suede leather. Titanium colour anodized spokes. Yellow stitching.



OD/1954/N

In suede leather. Black anodized spokes. Yellow stitching.



OD/1954/AN

In suede leather. Silver anodized spokes. Yellow stitching.



OD/1956/N

In smooth leather. Black anodized spokes. Yellow stitching.



OD/1956/NR

In smooth leather. Black anodized spokes. Red stitching.



### OD/1956/AN

In smooth leather. Gray anodized spokes. Yellow stitching.



### In suede leather.

Black anodized spokes. Yellow stitching. Diameter: 330 mm

€175,00 (C)



Diameter: 350 mm Handgrip: oval 30x28 mm Depth: 95 mm

### **PROFESSIONAL** STEERING WHEEL

Made in aluminium and steel.






### OD/1951

In suede leather. Black anodized spokes. Yellow stitching.



### OD/1951/BN

In suede leather. Blue anodized spokes. Black stitching.



OD/1950

OD/1951

SUPPLIED WITH

**HORN BUTTON** 

**SMOOTH LEATHER** 

DISHED

Diameter: 350 mm Handgrip: round 30 mm

Depth: 95 mm

# WRC

### OD/1979 OD/1980 **SUEDE LEATHER** €159,00 (C) €150,00 (C) **BLACK ANODIZED SPOKES** MID-DEPTH DISHED SUPPLIED WITH HORN BUTTON OD/1980/N OD/1979/N In smooth leather. Black anodized spokes. Yellow stitching. **OD/1980/NR** In smooth leather. Black anodized spokes. Red stitching. Diameter: 350 mm Handgrip: round 30 mm **BLACK STITCHING** Depth: 70 mm

# VELOCITA'



### **VELOCITA' 380**





stitching.



€169,00 (C) OD/1987/NN

In suede leather. Black anodized spokes.


# SUPERQUADRO



# OD/1990/NN

**FLAT** SUPPLIED WITH HORN BUTTON

€159,00 (C)



Diameter: 330x290 mm Handgrip: oval 35x27 mm


# TARGA



# OD/2005/NN

**FLAT** SUPPLIED WITH HORN BUTTON

€149,00 (C)



Diameter: 330 mm Handgrip: oval 37x24 mm

# TRECENTO

# OD/1976/N OD/1975/N **SUEDE LEATHER** €149,00 (C) €140,00 (C) **BLACK ANODIZED SPOKES** SUPPLIED WITH HORN BUTTON OD/1975/N OD/1976/N In smooth leather. Black anodized spokes. Black stitching. Diameter: 300 mm Handgrip: oval 37x27 mm

# KUBIK



# FORMULAQ



# INDY




### INDY OPEN

Same characteristics as OD/2016/NN. Open upper part version.



### OD/2017/NN


€185,00 (C)



Diameter: 250x170 mm Handgrip: oval 35x25 mm

# OD/2016/NN

SINGLE SEATER €185,00 (C)



Diameter: 250x200 mm Handgrip: oval 35x25 mm

# MUGELLO

# **STEERING WHEEL**

# THE PARTY OF THE P

# OD/2023/LE

FLAT WOODEN

> Diameter: 350 mm Handgrip: round 30 mm

> > €89,00 (C)

# CROMO

# **STEERING WHEEL**



# VINTAGE | | | | | | |

Diameter: 380 mm Handgrip: round 30 mm

# SAND

# **STEERING WHEEL**



# **ASSO**

# **STEERING WHEEL**

# OD/2019/LN

FLAT SUPPLIED WITH HORN BUTTON

€95,00 (A)



Diameter: 350 mm Handgrip: oval 35,5x27 mm

SMOOTH LEATHER

BLACK STITCHING

**CHROME SPOKES** 

# RACING GP

# **STEERING WHEEL**

OD/1981/NN

FLAT SUPPLIED

WITH HORN BUTTON

€88,00 (A)



# TRECENTO UNO STEERING WHEEL



# STEERING WHEELS ACCESSORIES

### ADJUSTABLE STEERING WHEEL SPACERS

# ODC022171

€149,00 (A)

Adjustable in 4 positions: 24/34/44/54 mm Suitable for use with a collapsible steering wheel hub (featuring a collapsible sheet metal frame).

> Anodized black

### FIXED STEERING WHEEL SPACERS

**ODC023** 

€79,00 (A)



### STEERING WHEEL HUBS

### OD/1960/...

These steering wheel hubs have been designed so as to maintain the original steering wheel (flat model) position. When ordering a steering wheel hub you will be required to quote the product code as follows: OD/1960 + vehicle specific code.

**NEW Application List** available also on www.ompracing.com



€70,00 (C)

Example of

€89,00 (C)

mounted

plate

### WHEEL PLATE

### OD/2029

Carbon fiber. Thickness: 2.5 mm

For use of up to 2 buttons (included). 2 drill points for attachment between steering wheel and hub. Fixing screws included.





### WHEEL PLATE

### OD/2026

Carbon fiber. Thickness: 2.5 mm

For use of up to 4 buttons (not included). 6 drill points for attachment. Fixing screws included.



### **QUICK RELEASE HUB**

**ODS/018** 

€205,00 (C)

ODS/019

€220.00 (C)

**ODS/020** 

€250.00 (C)




3 holes to be welded.



6 holes to be welded.





# RACING NETS


### NA/1876

Professional entry level racing net with quick relase and quick front strap adjustment to fit with several seat positions. Designed to be mounted on the left or on the right side of the driver.

FIA HOMOLOGATED 8863-2013



€ 139,00 (C)




### NA/1875

Professional racing net with small-sized quick relase to improve driver's field of view and front strap adjustment to fit with several seat positions. Designed to be mounted on the left or on the right side of the driver.

FIA HOMOLOGATED 8863-2013



€ 249,00 (C)



### NA/1870/TN



€ 67,00 (C)

### NA/1877

Professional top level racing net with quick relase, quick front strap adjustment to fit with several seat positions, large triangle to allow an easier mounting complying FIA rules and thinner straps to improve driver's field of view.

Designed to be mounted on the left or on the right side of the driver.

FIA HOMOLOGATED 8863-2013



€ 299,00 (C)



# RACING ACCESSORIES

# BONNET PINS AND TOW HOOKS

# NA/1701 NA/1701 NA/1701/B Blue NA/1700/N Black Diaprene splash guard, to be shaped. **Dimensions:** 50x30 cm Thick: 2 mm € 42,00 (C) NA/1822 € 32,00 (C) Nylon spare wheel down strap.







Ô

0

3

(EL

CHILLIAN





EB/490

M10 stainless steel

pins slide with large

€ 21,00 (C)

Oper

cast aluminium washers.





Quick release bonnet pins aluminium W 7/16" with stainless steel hardware.

EB/492

€ 19,00 (C)

Red

EB/492/R

EB/492/A

Aluminium

EB/492/N

Black

EB/482

€ 13,50 (C)

Rubber hooks



Blue

EB/487/N

EB/489

€ 23,00 (C)

Stainless

steel pins with

large slide pins.

EB/491

€ 22,00 (C)

**Stainless** steel spring clips.

Suitable for

hatchbacks.

€ 29,00 (C)

Leather straps.



EB/483 € 18.00 (C)



EB/571 FIA APPENDIX J

art. 253 € 16.50 (A)

Tow hook, stainless steel painted finish. Stud: M 12 Internal Ø: 50 mm Thickness: 8 mm Complete: locking

nut and washers.



EB/578/R

FIA APPENDIX J art. 253

€ 15,00 (A)

Straps: 2" Ø ring: 14 mm **Chassis fixing:** two hole 8 mm and 14 mm



EB/580

Rubber hooks

(small).

FIA APPENDIX J € 20,50 (A)

Straps: 2" With restraint elastic strap. Compliant with FIA rules.



EB/576

FIA APPENDIX J art. 253

€ 18,00 (A)

Tow hook, stainless steel painted finish. Stud: M 12 Internal Ø: 80 mm Thickness: 8 mm Complete: locking nut and washers.





CD/324/10/N

Fire resistant sheath.

€ 10.50 (C)

NA/1859

White NA/1859081

Grey

Black

Tank tape.

Roll: 50 m

Wide: 50 mm

NA/1859020

NA/1859071

Ø Internal: 10 mm

Length: 5 m

€ 20.00 (C)

# RACING PEDALSETS AND FOOTRESTS

# RACING PEDALSETS AND FOOTRESTS

### OA/1010



Complete 3 pedal in sandblasted aluminium, with a long accelerator pedal. Supplied with steel bolts.

Dimensions brake: 60x100 mm

Dimensions accelerator: 60x210 mm

€ 24,00 (A)

### OA/1020



Complete 3 pedal in sandblasted aluminium, with a long accelerator pedal. Supplied with steel bolts.

Dimensions brake: 60x70 mm

Dimensions accelerator: 60x210 mm

€ 14,90 (A)

### OA/1000



Complete 3 pedal in sandblasted aluminium, with standard accelerator pedal. Supplied with steel bolts.

Dimensions brake: 60x100 mm

Dimensions accelerator: 60x100 mm

€ 23,50 (A)

### OA/1863







Complete 3 pedal in sandblasted aluminium, with standard accelerator pedal.
Supplied with steel bolts.
Dimensions brake: 60x70 mm
Dimensions accelerator: 85x120 mm

€ 13,80 (A)

### OA/1030



Complete 3 smooth aluminium pedal, suitable for rally use, already drilled and countersunk. Supplied with steel bolts.

Thick: 3 mm

€ 13,90 (A)

### OA/1050



Same features as partnumber OA/1030, but the surface of the pedals is in knurled aluminium and can be shaped as needed.

Thick: 2,5 mm

€ 13,90 (A)

### OA/2092



Complete 3 pedal set, ultralight competition in anodized silver aluminium. Supplied with steel bolts.

€ 43,50 (A)

### OA/2070



Driver's left footrest in knurled luminium. **Dimensions:** 285x120 mm

€ 23,00 (A)

### OA/2060



Co-driver's footrest in knurled aluminium. **Dimensions:** 335x300 mm

€ 54,00 (A)

### OA/1866



Co-driver's footrest in sandblasted aluminium. Supplied with steel bolts and brackets. **Dimensions:** 320x280 mm

€ 35,00 (A)

### OA/1867



Driver's left footrest for left foot, in sandblasted aluminium. Supplied with steel bolts and brackets.

Dimensions: 260x100 mm

€ 19,00 (A)

### OA/2080



Universal flat footrest in knurled aluminium. **Dimensions brake:** 365x418 mm

€ 27,00 (A)

### ODA/2002



Light racing gear knob in silver anodized aluminium. Threaded coupling M8-M10. **Dimensions:** high 65 mm Ø 50 mm

€ 39,00 (A)

# PIT BOARDS

### KC/1068

### **PROFESSIONAL**

Aluminium frame. Dimensions: 100x72 cm Complete with 42 cards of numbers, letters and symbols measuring 23x14 cm and one customizable plate 23x65 cm supplied in a synthetic leather bag, which stores sidely on the aluminium frame



KC/1067

### **TRIPLA**

Aluminium frame. Dimensions: 72x72 cm Complete with 24 cards of numbers, letters and symbols measuring 23x14 cm

€ 101,00 (C)

### KC/1069

42 spare cards for pit boards KC/1067 and KC/1068, supplied in a synthetic leather carrying pouch.



€ 124,00 (C)

when not being used.

€ 57,00 (C)

# **ELECTRICAL ACCESSORIES**



EA/462

€ 35,00 (C)

6 poles with removable key disconnecting battery and alternator.

EA/464

€ 7,50 (C)

Spare key for EA/462 model.

EA/460

€ 15,50 (C)

2 poles with removable key disconnecting battery only.

EA/463

€ 5,90 (C)

Spare key for EA/460 model.

# CO-DRIVER' MAP LIGHTS



KA/1035

flexible led. Long: 50 cm

Professional model,

KA/1036

€ 48,50 (C)

€ 51,00 (C)

Professional model, flexible led. Long: 40 cm

# **STAY-BARS**



EB/570

€ 18.50 (A)

Stay-bars, pair of zinc plated steel stay-bars for spotlights. Variable length: 130/195 mm

**EA/466** 

€ 7,90 (C)



For interior use.

EA/467

€ 12,90 (C)



For exterior use. water resistant.

X/181493

Rubber ring for

push button EA/467.

€ 4,40 (C)

# TYRE WARMERS

A line of tyre warmers available in 4 different standard sizes, offering greater versatility across a wider range of tyre sizes and now available in two types: with a standard temperature control thermostat or with a central electronic temperature control box.

Exterior: Cordura® which improves transpiration allowing moisture to escape away from the tyre.

Electrical cables and connectors are compliant with EEC electrical standards.

Upon request, tyre warming blankets can be made to measure. Tyre warmers for motorcycles are also available upon request.

Tyre warmers models with a Central Electronic Temperature Control Box (part number T200) allows each of the 4 tyres to have individual temperature settings. The control box features an electronic control device controlled by software preventing overheating. The external case of the control box is ABS plastic with an electrical protection

rating of IP44.

€ 484.00\* (C)

€ 504,00\* (C)

€ 504,00\* (C)

€ 504,00\* (C)

Width: 190/220 mm Ø 570/220 mm

T1963C

T1957C

Width: 190/200 mm Ø 630/640 mm

T2363C

Width: 230/260 mm Ø 630/645 mm

T2360C Width: 230/260 mm Ø 600/620 mm

T1957 Width: 190/220 mm Ø 570/585 mm

T1963

Width: 190/200 mm Ø 630/640 mm

T2363

Width: 230/260 mm Ø 630/645 mm

T2360

Width: 230/260 mm Ø 600/620 mm

Tyre warmers models with a Standard Temperature Control Thermostat allows the tyre surface to reach 70/80 °C.

The time required to reach this temperature is depends on ambient temperature, tyre dimensions and operating conditions.

€ 432,00\* (C)

€ 452,00\* (C)

€ 452,00\* (C)

€ 452.00\* (C)



T200

€ 1.622.00 (C)

Electronic thermostatic control box with digital display for tyre warming blankets. T100

set of 4 tyre warmers.

€ 29.50 (C)

**TG/80** 

€ 37.50 (C)

Thermostat for tyre warmers.

RACING

240

Nylon carrying bag for one complete

RACING

# CHRONOMETERS

# CO-DRIVER

### HANDHELD STOPWATCH

KB/1041

CHRONOGRAPH: with partial and total elapsed times up to 9h 59'59"99, lap times. CLOCK: with alarm clock and

Pacer dater. **TIMER:** with countdown function.



### LIQUID CRYSTAL HANDHELD STOPWATCH

KB/1040

€ 35,00 (C)

€ 19,50 (C)

CHRONOGRAPH:: with split, total elapsed times up to 9h, 59', 59'', 99 seconds.

CLOCK: displays hours, minutes, seconds, alarm clock with 12/24h option.

**TIMER:** with presettable countdown timer. 60 lap memory and lap counter. Shows fastest lap, slowest lap and average lap times.

**60 MEMORY** 



NA/1862 Size: 17,3x22 cm NA/1863 Size: A4 **Pages**: 130 Pages: 130 € 28,50 (C) € 13,40 (C)

CO-DRIVER PLUS

CO-DRIVER'S PAD

ORA/2966

NA/1863

NA/1862

Lightweight backpack with organizational features inclused plenty of internal and external accessory pockets.

**DIMENSIONS:** 40x34x20 cm



PENHOLDER

ALC: NO STATE OF THE STATE OF T

OC/1063

€ 32,00 (C)



Spring penholder, 4 penholders each.

CO-DRIVER BAG ORA/2967

Light weight sporty brief bag with removable shoulder strap. DIMENSIONS: 44,5x6x25 cm

€ 39,00 (P)





RACING

# KARTING ACCESSORIES

# **TYRE BAG** € 29,50 (C) KK03300


Polyamide nylon tyre bag (suitable for 4 tyres), tear resistant waterproof fabric.

# **DIGITAL TYRE PRESSURE**

NC/072

€ 36,00 (A)











# TUNING PEDALS SETS

### OA/1067

Complete 3 pedal set in anodized aluminium and sandblasted aluminium, with short accelerator pedal; anti-slip design.

Dimens. brake: 60x85 mm Dimens. accelerator: 55x106 mm Supplied with steel bolts.







3 PEDALS

€ 21,50 (A)

#### 0A/1067/R Red





€ 21,50 (A)

C

O

Complete 2 pedal set with long accelerator pedal; anodized aluminium and pressure die-caster sandblasted aluminium with anti-slip design, brake pedal for automatic transmission. Dimens. brake: 140x79 mm

Dimens. accelerator: 65x180 mm Supplied with steel bolts.

OA/1072

### 2 PEDALS





# OA/1072/A Silver





### OA/1069

Complete 3 pedal set, in anodized aluminium and sandblasted aluminium, with long accelerator pedal; anti-slip design.


Dimens. brake: 60x90 mm Dimens. accelerator: 65x180 mm Supplied with steel bolts.

#### 3 PEDALS





# € 21,50 (A)



#### 0A/1069/B Blue



Silver



### OA/1068

Supplied with steel bolts.

Complete 2 pedal set in anodized aluminium and pressure die-caster sandblasted aluminium with anti-slip design with short accelerator pedal and brake pedal for automatic transmission. Dimens. brake: 140x70 mm Dimens. accelerator: 55x106 mm

#### 2 PEDALS





€ 21,50 (A)

### OA/1068/N Black






0A/1068/A Silver

# TUNING PEDALS SETS

# TOW HOOK

# STRUT BRACES



Complete 3 pedal set with short accelerator pedal in silver anodized aluminium.
Inserts: rubber anti-slip.

**Dimens. brake:** 60x80 mm **Dimens. accelerator:** 60x105 mm Supplied with steel bolts.

#### **PRECURVED**





€ 21,50 (A)

Aluminium tow hook, flat.

Thickness: 6 mm

**EB/572** 



€ 39,50 (A)

EB/573

€ 39,00 (A)

Aluminium tow hook, angled.

Thickness: 6 mm



# CHEMICAL PRODUCTS

€ 9,80 (A)

PC01001

€ 0,00 (A)

PC02002

PC02001

€ 10,80 (A)

FINE WHEELS

Concentrated detergent for steel wheels, alloy wheels and brake calipers.

Contents: 750 ml



### **BLACK LIGHT**

Transparent black acrylic paint for personalization of indicator lights. **Colours:** black, green, blue. **Contents:** 400 ml



### FIRE PAINT

Special high temperature paint for exhaust systems, brake calipers, engines, etc.

Colours: red, blue, yellow, black, silver, gold.

Contents: 400 ml





We are the leading European manufacturer of strut braces, offering over 1000 vehicle specific applications.
Our strut braces are engineered to keep suspension geometry unlatered in hard cornering, while improving feedback to the drive.



Search Complete Application List also on www.ompracing.com



# RACING SPIRIT SOFTSHELL

# RACING SPIRIT SOFTSHELL

### LONG SLEEVED SOFTSHELL JACKET

94% polyester 6% spandex, windproof, breathable, inner fabric in mesh, front zip, two lateral pockets with zip closure, adjustable velco wrist's closure, inner pocket with zip closure, inner adjustable string with stopper. Easy customization thanks to the zip clouser at the lining bottom.

OR5910089XX Anthracite/black

TWO POCKETS

with zip closure



### **OR5910**

SIZES: S-XXL

€ 76,50 (P)

ADJUSTABLE VELCRO

wrist's closure

**INNER FABRIC** 

# **NO SLEEVED SOFTSHELL JACKET**


94% polyester 6% spandex, windproof, breathable, inner fabric in mesh, front zip, two lateral pockets with zip closure, inner pocket with zip closure, inner adjustable string with stopper. Easy customization thanks to the zip clouser at the lining bottom.



SIZES: S-XXL

€ 69,00 (P)







TWO POCKETS

with zip closure



STYLE

250

INNER ADJUSTABLE STRING


with stopper



# RACING SPIRIT HOODIE

# RACING SPIRIT POLO









# RALLY T-SHIRT

OMP ADVANCED HACING TECHNOLOGY

# SENNA T-SHIRT

# OR5915

ONE COLOUR: BLACK SIZE: XS-XXXL

€ 19,00 (P)

SENNA T-SHIRT

In cotton fabric.

OR5916

SIZES: XS-XXXL

€ 29,00 (P)

OR5916020XX White





OR5916071XX Black



**RALLY T-SHIRT** 

In cotton fabric.

STYLE

ADVANCED RACING TEC

254

255

# KART T-SHIRT

# STRIPED LOGO T-SHIRT



# RACING SPIRIT T-SHIRT

# BLACK T-SHIRT



SHORT SLEEVED T-SHIRT

**OR5904** 

€ 19,00 (P)

Made in cotton fabric with yellow "OMP" logo.

**OR5907** € 19,00 (P)

> ONE COLOUR: BLACK SIZE: XS-XXL

> > STYLE



259

# RACING SPIRIT SHIRT

A CHIE

OMP

Eding Spirit

# OMP BAGS

# OR5902

SIZES:

38-39-40-41-42-43-44

€ 56,00 (P)

# ONE BACKPACK

ORA/2964

€ 89,00 (P)

Tech backpack with several external pockets and inner organizer compartments.
Adjustable waist, chest and shoulder belts. Made of lightweight and durable material.

COLOUR: Black

DIMENSIONS: 45 x 38 x 20 cm







# **FIRST** BACKPACK

ORA/2965

€ 35,00 (P)

Sportswear backpack in resistant nylon fabric, with external pocket and a pratic handle. Length adjustable shoulder straps.

COLOUR: Black

DIMENSIONS: 40 x 30 x 18 cm





**LONG SLEEVED SHIRT** 

Made in cotton fabric with

embroidered "OMP" logos.

OR5902020XX White

# OMP BAGS

# OMP BAGS



ORA/2966

CO-DRIVER BAG ORA/2967

Light weight sporty brief bag with removable shoulder strap. DIMENSIONS: 44,5x6x25 cm

€ 39,00 (P)

Lightweight backpack with organizational features inclused plenty of internal and external accessory pockets. COLOUR: Black DIMENSIONS: 40 x 34 x 20 cm



# TRAVEL BAG

**ORA/2969** 

€ 116,00 (P)

Generous dimensioned travel bag made in nylon, provided with trolley. Large central compartment, big pockets and side padded compartment. Provided with a practical adjustable shoulder strap. New anti-rollover rigid base and new fresh design.







# CABIN TROLLEY

ORA/2968

Ultra compact trolley. Lightweight construction, provided with trolley, with handle and several compartments and pockets. Ideal for hand-held luggage in flight.

€ 70,00 (D)

COLOUR: Black

DIMENSIONS: 55 x 40 x 20 cm



STYLE

262

# ACCESSORIES

# OMP **UMBRELLA**

PR923

Diameter: 1 m.

€ 19,50 (P)



SHIFT BELT

OR5883071

€ 25,00 (A)

COLOUR: Black

ONE SIZE



# RACING SPIRIT CAP

OR5919

Cotton cap.

€ 14,00 (P)

COLOUR: Grey OR5919080



CAP

PR918

€ 4,50 (P)

Cap in lightweight cotton, velcro back closure. Racing design. COLOURS: PR918020 white, PR918071 black

PR918C

Also for children. One size

COLOURS: PR918C020 white, PR918C071 black

€ 4,50 (P)





# WHEELED CHAIR

# OMP CHAIR CUSTOMIZATION BY STREME - DESIGNER



### **OMP WHEELED CHAIR**

Wheeled chair in synthetic leather with reclining mechanism, pneumatic seat height adjustment and adjustable armrests.



HA/777E/NB Black/b



HA/777E/AIR Black with breathable airnet fabric







HA/777E/NN Black


















# RC-ETCHILD SEAT

### HIGH LEVEL CHILD SEAT

ISOFIX attachments included. Airnet covering for the air transpiration.



# **ADJUSTABLE HEADREST**

to have the best comfort and adapting to the child during the child growth



RC D

**HA/797** 

€ 239,00 (P)

### HA/797/BC Dark blue/cyan

**HOMOLOGATION** ECE R44/04 **GROUPS 1, 2, 3** (from 9 to 36 kg)



ADJUSTABLE BELT **POSITIONING** 

HA/797/NGI Black/fluo yel



HA/797/NR Black/red



REVERNIE

# PROMOTIONALITEMS

PR925

A futuristic foosball table with OMP colors, ideal for your paddock hospitality. 9 balls included. Dimensions: 144x73x92 cm



€ 790,00 (D)

### PR921

Mechanic stool with air-operated adjustment in height, base with 5 wheels, small basket and tool case.

€ 35,00 (P)



Wheeled office chair base. HC/801 Dimensions: 345x270 mm



### PR922

Paddock stool with height adjustment, footstool, customized yellow spring.



€ 1705,00 (P)



€ 49,00 (P)



Both bottom mounting or side mounting models with side brackets.

€ 65,00 (P)



Racing suit bag.



X/683/BK

€ 7,00 (P)



€ 7,00 (P)

### X/963/CINT

Safety harnesses fasten structure to be matched with the seat support X/963.



€ 2,60/m (P)

X/694E/80TNT

Lanyard. **PR880** 



Racing design tnt band, sold per meter.

Height: 80 cm Roll: 24 m

USB Flash Drive with case. 4 GB PR917



Pen with pen holder. **PR908** 

€ 9,00 (P)

X/846

Assorted sticker sheet with: tow hooks, extinguisher and master switch stickers.



€ 2,00 (P)

X/694E/15

Racing design nylon band with OMP logo. Height: 15 cm Roll: 7 kg.



€ 9,30/kg (P)

X/867

Flag. Dimensions: 1000x1500 mm



€ 40,50 (P)

PR919

Racing design mouse pad. Dimensions: 230x200 cm



X/889

Assorted OMP stickers.



€ 2,10 (P)



# ONE-5

# SUIT

# ONEVINTAGE

# SUIT



Made of shiny, High-Tech Nomex® fabrics and innovative new inner materials, allowing a significant weight reduction. Outer pockets.

### **ULTRA-FLAT**

anti rubbing seams

### **FLOATING ARMS**

with elastic bellows

#### DRY SYSTEM

3D breathable material

# FRESH AIR IN HOT AIR OUT



MANUFACTURER: OMP MODEL: ONE S HOM. NO: RS.224.12 FIA STANDARD: FIA 8856-2000

### IA837LAMB

SFI 3-2A/5 on request 3 LAYERS SIZES: 46-64 sizing information on page 290

€ 974,00 (L)

**SLIM FIT CUT** 

HIPS AND **LUMBAR INSERTS** made of soft knitted elastic fabric

**PRE-CURVED SLEEVES** for maximum comfort

**DRY SYSTEM** 

3D breathable material

WEIGHT: 235 gr/m<sup>2</sup>

VINTAGE

### **FLOATING ARMS**

with elastic bellws

**RETRO RACING SUIT STYLE** 

Produced with the same

STYLE



IA842LAMB

SFI 3-2A/5 on request 3 LAYERS SIZES: 46-64 sizing information on page 290 WEIGHT: 235 gr/m<sup>2</sup>

### **SHAPED COLLAR**

€ 974,00 (L)

with inner soft knitted material and pre-curved sleeves for maximum comfort

### **SLIM FIT**

and ultra-flat, anti-rubbing seams



MANUFACTURER: OMP MODEL: ONE BASIS HOM. NO: RS.224.12 FIA STANDARD: FIA 8856-2000

**OUTER POCKETS** 



**ELASTIC** 

# ONETOP

FRESH AIR IN HOT AIR OUT

# ULTRA-LIGHT UNDERWEAR TOP WITH EXCLUSIVE FEATURES

Advanced technology knitted fabric with maximum breathability 3D knitted inserts for maximum cooling

3D knitted inserts for maximum cooling in hot conditions that aligns with the breathable inserts of ONE EVO, ONE-S and TECNICA EVO suits.

ultra-flat and anti-rubbing seams



with ultra-flat seams

### IAA/739ELA

SFI on request

### SMA

corresponding sizes XS/S suit sizes 44-48

#### MED

corresponding sizes M/L suit sizes 50-54

#### XLAR

corresponding sizes XL/XXL suit sizes 56-60

### on request:

**2XLAR** corresponding sizes XXXL

suit sizes 62-64

# ONE LONG JOHNS

### ULTRA-LIGHT PANTS AND BALACLAVA WITH EXCLUSIVE FEATURES

Advanced technology knitted fabric with maximum breathability. 3D knitted inserts for maximum cooling in hot conditions.







€ 137,00 (L)

for increased driver comfort; extremely light, increased elasticity

SOURDRA CORSE



material

10

**DRY SYSTEM** 

3D breathable



MANUFACTURER: OMP MODEL: ONE TOP FIA STANDARD: FIA 8856-2000

### SOCKS

€ 33,00 (L)

IAA/724LAMB

SFI3.3 SIZES: S - M





MANUFACTURER: OMP MODEL: SOCKS FIA STANDARD: FIA 8856-2000



# ONEEVO

# **GLOVES**

# BLAST

# SUIT

### **DEVELOPED DIRECTLY FROM OMP'S** TOP DRIVERS EXPERIENCE

Ultra-light fire-retardant elastic fabric with high adhesion inserts for maximum grip.



HAND AND FINGERS SILICON WEBBING

**PRECURVED** MIXED INTERNAL/ EXTERNAL SEAMS SIZES: XS - XL

sizing information on page 290



MANUFACTURER: OMP MODEL: ONE-EVO **FIA STANDARD: FIA 8856-2000** 



# IB/759/LAMB

€ 166,00 (L)

### INTERNAL SEAMS

on the palm

#### LEATHER PALM

internal points in antislip silicon rubber

**ELASTIC WRIST STOP** 

# 

# **VINTAGE GLOVE**

'70s design with fabrics and quality of last generation gloves. Fire-resistant fabric with stretch suede inserts. Internal seams.



MANUFACTURER: OMP MODEL: DIJON FIA STANDARD: FIA 8856-2000

**ELASTIC WRIST STOP** 

VINTAGE STYLE



### IB/746/LAMB

**PRECURVED** 

SIZES: S - XL sizing information on page 290

€ 105,00 (L)

### **SUEDE LEATHER INSERTS**

on palm and fingers for very good grip

### SUPER RESISTANT **MECHANICS OVERALL**



### NB1578LAMB

€ 99,00 (L)

### **MECHANICS'**

### **TECHNICAL INFORMATION**

1 LAYER SIZES: 44-64

sizing information on page 290

**ARMBELLOWS** 

in knit elastic fabric

# TAZIO

# **VINTAGE GLOVE**

Smooth leather and cotton fabric.

# **INTERNAL SEAMS** in forefinger and thumb

for maximum accuracy on commands



# IB/747/LAMB

PRECURVED

SIZES: S - XL sizing information on

page 290

€ 30,00 (L)

VINTAGE STYLE



STRAP WITH VELCRO

# ONE-5

**VELCRO STRAP** 

for a best fitting

of the ankle

# **SHOES**

IC/807LAMB

# OMP CHAIR



reinforcements on the tip and on the heel. Injected high resistant sole and best grip. Velcro strap for a best fitting of the ankle. Inner sole with plate reinforcement for highest sensitivity and reduction of the stress on the feet. Thin laces to guarantee and permit a good sliding and a

> **TECNICAL** REINFORCEMENTS

quick lacing of the

boots.

on the tip and on the hee

MANUFACTURER: OMP MODEL: ONE-S FIA STANDARD: FIA 8856-2000

**APPROVED** 

€ 260,00 (L)

SFI 3-2A/5 on request SIZES: 37-48

sizing information on page 290

THIN LACES for high sliding and quick lacing INJECTED SOLE

**INNER SOLE** 

with plate reinforcement for highest sensitivity and reduction of stress on the feet.

# CARRERA

**SHOES** 

for maximum grip and

resistance to wear

IC/784LAMB

SIZES: 37-48

# **VINTAGE CLASSIC BOOTS**

Polished leather lined in soft jersey. Molded rubber sole resistant to hydrocarbons.

> MANUFACTURER: OMP MODEL: CARRERA LOW BOOTS **FIA STANDARD: FIA 8856-2000**

High quality treated leather for an ultra-soft feel. **Accurate hand-made** production.



VINTAGE

Wheeled chair in synthetic leather with reclining mechanism, pneumatic seat height adjustment and adjustable armrests.









# ONE COLLECTION

#### ONE EVO SUIT



#### **ONE-ART SUIT**





#### ONE EVOR FORMULA SHOES



ONE EVO SHOES



#### ONE-S1 SUIT



ONE-S SUIT





ONE-SL SUIT



#### **ONE-S GLOVES**



#### ONE-S SHOES



# recnica COLLECTION

#### **TECNICA EVO SUIT**







TECNICA-S SUIT



# FIRST COLLECTION

#### FIRST EVO SUIT













# KS-1 COLLECTION



































# KS-2 COLLECTION





FIG. Comments



# KS-3 COLLECTION













# KS-4 COLLECTION






# SIZINGINFORMATION

# INDEX

# AMO

#### **SUIT BODY MEASUREMENTS TABLE**



		S		M		L		XL		XXL		
	42	44	46	48	50	52	54	56	58	60	62	64
WEIGHT (kg)	50/60	55/65	60/70	65/75	70/80	75/85	83/88	85/92	87/95	90/100	95/110	105/115
HEIGHT (cm)	150/160	155/165	160/170	165/175	170/180	173/183	177/187	182/190	185/195	187/198	190/200	190/200
A - CHEST (cm)	83/86	87/90	91/94	95/98	99/102	103/106	107/110	111/114	115/118	119/122	123/126	127/130
B - WAISTLINE (cm)	71/74	75/78	79/82	83/86	87/90	91/94	95/98	99/102	103/106	107/110	111/114	115/119
C - HIPS (cm)	83/86	87/90	91/94	95/98	99/102	103/106	107/110	111/114	115/118	119/122	123/126	127/130
D - THIGH (cm)	47/50	49/52	51/54	53/56	55/58	57/60	59/62	61/63	63/66	65/68	67/70	68/72
E - ARM (cm)	54/58	56/60	58/62	60/64	62/66	64/68	66/70	68/72	70/74	71/75	71/75	72/76
F - INSIDE LEG (cm)	68/72	70/74	72/76	74/78	76/80	78/82	80/84	82/86	84/88	85/89	85/89	87/91
G - SHOULDERS (cm)	35/38	37/40	39/42	41/45	43/47	45/50	46/51	46/52	47/53	48/54	49/55	50/56
H - BACK (cm)	45/49	44/48	45/49	46/50	47/51	48/52	48/53	49/54	49/55	50/56	51/56	52/58

### **SHOES COMPARISON SIZE TABLE**

EUROPEAN SIZES 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48

USA SIZES 2 2<sub>1/2</sub> 3<sub>1/2</sub> 4 5 6 6<sub>1/2</sub> 7<sub>1/2</sub> 8 9 10 10<sub>1/2</sub> 11<sub>1/2</sub> 12 13

LENGHT CM 23 23<sub>1/2</sub> 24 24<sub>1/2</sub> 25<sub>1/2</sub> 26 27 27<sub>1/2</sub> 28 28<sub>1/2</sub> 29 30 30<sub>1/2</sub> 31<sub>1/2</sub> 32

#### **GLOVES COMPARISON SIZE TABLE**

EUROPEAN SIZES	XXS	XS	S	М	L	XL
USA SIZES	7	8	9	10	11	12
CM	121/2/161/2	16 <sup>1/2</sup> /19	18/211/2	20/24	23/261/2	251/2/30



#### FIA HELMETS COMPARISON SIZE TABLE

#### CMR HELMETS COMPARISON SIZE TABLE

### **ECE HELMETS COMPARISON SIZE TABLE**

Valid for: CIRCUIT - STAR series

#### TERMS OF SALE

By placing an order, the buyer accepts and unconditionally agrees with the conditions described in this document, and untertakes to follow them during the course of the business relationship with OMP Racing, declaring to have read and accepted them. The buyer also agrees that OMP Racing don't consider themselves bound to different conditions, except where agreed in writing in advance.

The buyer accepts the terms of sale indicated below. In the event of any legal dispute, the Court of Genoa, Italy, is competent.

OMP Racing reserves the right to modify the terms of sales anytime, also in view of possible regulatory changes. The new Terms Of Sale will be effective starting from the date of publication on OMP Racing official website (www.ompracing.com).

For any request of clarification or complaint, contact the following email address: info@ompracing.it

#### CHARACTERISTICS AND PRICES OF PRODUCTS

The price indicated are VAT excluded. The characteristics and technical data of the items presented in this catalogue are not binding and can be changed without notice. The products' colors can also be considerably altered.

#### RETURNED ITEMS - DELIVERY TIME

OMP Racing is not responsible for delayed deliveries and will not pay for possible consequent damages. Returned goods will be accepted only when authorized by OMP, provided with regular goods return note, and carriage paid. OMP will charge all the costs deriving from damages on the returned goods or missing parts. Defective or not functioning items that will be returned after having been purchased will be repaired in the necessary time and will not be substituted by new ones in any way. Orders made in writing (fax, mail, e-mail, etc.) will be considered automatically confirmed and will be forwarded in accordance with the normal procedure. The goods travel at the risk of the consignee, and any damage caused during the carriage will be charged to the consignee.

#### CARE AND MANTAINANC

Before the use of any item, carefully read the labels and the user's manual, and strictly follow the instructions. Improper use or mantainance can reduce the effectiveness of the item, provoke untimely wear and increase the risk of serious or lethal injuries in case of accident or fire. Improper use or mantainance void the guarantee and relieve OMP Racing from any responsibility towards the user.

#### WARNING

Motorsport is an intrinsecally dangerous activity, that can result in serious or lethal injuries. The items described in this catalogue provide for protection on specific parts of the body for a a limited period of time in controlled test conditions, in accordance with the FIA standard specified on each item's label. No device can provide a complete protection from every injury in case of accident or fire. The user, at the time when he uses the products, relieves the manufacturer, the distributor, the owner, the employees, the agents, the sales representatives from any responsibility. It is the user's responsibility to become familiar with all available informations about the correct use and mantainance of the products. If uncertain of the correct use and mantainance, the user must not use the products. The manufacturer, the distributor and their respective owners, employees, agents and representatives are not responsible for mistakes or omissions.

#### DISCLAIMER

- Each personal safety device is part of a complete safety system including the other racewear products, protections, the vehicle, the racetrack, the event organization.
- Personal safety products are not conceived to provide the same performance level or protection through the whole specific product. Different parts or areas of the product can provide different levels of protection, in spite of the fact that they may appear the same.
- Personal safety products must always be inspected before use and replaced after any evidence of wear, and after exposure to chemicals, excessive heat or any unusual condition.
- Products are sold to be used in legally sanctioned autosport events only, and are not intended to be used and/or installed for regular street use, as street use safety products are subject to different homologations and laws depending on the State or country.
- It is the user's responsibility to become familiar with all available informations about the correct use and mantainance of the products. If uncertain of the correct use and mantainance, the user must not use the products. The manufacturer, the distributor and their respective owners, employees, agents and representatives are not responsible for mistakes or omissions.
- Every single modification or customization of the products, and every operation on them may reduce their security features. Thus, the user is responsible at his own risk for the reduction of security features caused by modification or customization.

#### BY THE USE OF THESE PRODUCTS, THE USER ACKNOWLEDGES:

That each personal safety device is part of a complete safety system including the other racewear products, protections, the vehicle, the racetrack, the event organization; that personal safety products are not conceived to provide the same performance level or protection through the whole specific product. Different parts or areas of the product can provide different levels of protection, in spite of the fact that they may appear the same; that personal safety products must always be inspected before use and replaced after any evidence of wear, and after exposure to chemicals, excessive heat or any unusual condition.

That the helmet is conceived and designed to reduce the risk of cranial and facial injuries only in case of impact. That no helmet can protect against any possible and forseeable impact. That helmets are not recommended and sold for highrisk jobs such as refuelers. Further information at the following web addresses: www.ompracing.com and www.ompamerica.com



The quality OMP system is certified since the year 1999 and in 2005 it got by the prestigious body TÜV the quality certification n° 50 100 2022 - Rev. 06 according UNI EN ISO 9001/2008 rule.

ISO 9001

# **OMP**

#### **OMP RACING S.p.A.**

Via E. Bazzano, 5 - 16019 Ronco Scrivia - Genova - Italia Phone (+39) 010 96501 Fax (+39) 010 935698 www.ompracing.com E-mail: omp.info@ompracing.it

#### **VENDITE ITALIA:**

Phone (+39) 0109650140 Fax (+39) 0109350580 e-mail: vendite.italia@ompracing.it

#### **SALE IN GENOVA**

Via E. Bazzano, 5 16019 Ronco Scrivia (Genova) Italy Phone: (+39) 010 9650147 Fax: (+39) 010 9350580 Timetable: monday-friday 9.30-12.30/14-19.00 saturday: 9.30-12.30 Motorway A7 MI-GE, exit Ronco Scrivia

#### **EXPORT SALES:**

Phone: (+39) 010 9650150 Fax: (+39) 010 935698 E-mail: export.sales@ompracing.it

### OMP Racing Inc. (OMP AMERICA)

241 NE 61st St. Miami, FL 33137 tel.: (305) 373-0051 fax: (305) 373-6673 Toll Free: 1 866 OMP-2637 www.ompamerica.com e-mail:

info@ompamerica.com

Please check on www.ompracing.com to find the official OMP distributors around the world and the commercial terms.

290



# INDEX

A	
	Accessories (car)
	Accessories (universal)
_	Air cooling kit
<b>B</b>	
	Bags
_	Bonnet pins
C	
	Chemical products
	Chronometers
Ī	Co-driver accessories
	Co-driver map lights
	Customized Project
E	
	Electrical accessories
	Extinguishers
212	Extinguisher accessories
G	
239	Gear knob
74	Gloves - kart
79	Gloves - mechanics'
66	Gloves - racing
73	Gloves - vintage
Н	
116	Helmets - kart
102	Helmets - racing
111	Intercoms
K	
244	Karting accessories
M	
244	Manometers - kart
240	Master switches
N	
235	Nets - racing
0	
248	OMP Style
P	
245	Pedalsets and footrest - racing
245	Pedalsets and footrest - tuning
240	Pit boards
264	Promotional items
R	
236	Racing accessories
200	Roll bars
202	Roll bars - accessories

S	
194	Safety belts - off road
170	Safety belts - racing
195	Safety belts - tuning
154	Seats - accessories
268	Seats - children
160	Seats - kart
161	Seats - off road
161	Seats - off road brackets
136	Seats - racing
156	Seats - racing brackets
162	Seats - tuning
167	Seats - tuning brackets
158	Seats - vintage
94	Shoes - kart
98	Shoes - mechanics'
84	Shoes - racing
93	Shoes - vintage
250	Sportswear
240	Stay bars
233	Steering wheel - accessories
	Steering wheel - hubs
	Steering wheels - off road
216	Steering wheels - racing
233	Steering wheel - spacers
231	Steering wheels - tuning
	Steering wheels - vintage
	Strut braces
	Suits - customization "SU MISURA"
	Suits - kart
	Suits - mechanics'
	Suits - racing
	Suits - vintage
	Sumpguards
T	
	Tow hook - racing
	Tow hook - tuning
	Tyre warmers
U	CONTRACTOR OF THE PROPERTY OF
	Underwear - kart
	Underwear Cool Shirt and accessories
54	Underwear - racing

266 Wheeled chair



# ADVANCED RACING TECHNOLOGY

SINCE 1973



OIT COLLECTION

OMP RACING S.p.A.

Via E. Bazzano, 5 16019 Ronco Scrivia Genova - Italy phone +39 010 96501 fax +39 010 935698 omp.info@ompracing.it



OMPRACING COM







X\_881\_2017EN\_P

